



U.S. Department of Transportation

National Highway Traffic Safety Administration

## Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



Case Vehicle (A): 1999 Dodge

Type: Dakota Sport 4 x 2, Club cab 2-door pickup

Driver: 76-year-old female

CDC: 11-LYEW-2, 09-LBEW-1

Veh. (B): 1992 Ford

Type: Ranger 4 x 2, pickup Driver: 32-year-old male

CDC: 99-0000-0, 99-0000-0

#### **SITUATION**

(Slide 1) It was daytime, the weather was clear, the roads were dry, and (slide 2) case vehicle (A) was stopped facing north, about to exit a private asphalt drive that was free of defects. Vehicle (B) was traveling east in the right eastbound curb lane of a multi-lane asphalt east-west road that intersects with the private drive. (Slide 3) The driver of case vehicle (A) reportedly was unable to see vehicle (B) because of a concrete bridge abutment. As vehicle (B) approached the intersection of the private drive and the east-west road, case vehicle (A) pulled out across the eastbound lanes into the path of vehicle (B). The driver of vehicle (B) steered to the left, but was unable to avoid striking the left side of case vehicle (A) at the front fender and driver door. After the initial impact, case vehicle (A) continued north, and vehicle (B) rotated counterclockwise. Case vehicle (A) was struck a second time in the left cargo bed/quarter panel by the right front of vehicle (B). The driver of case vehicle (A) was taken to a local area hospital where she was treated and released. The driver of vehicle (B) was treated at the scene.

## GENERAL VEHICLE DAMAGE AND ESTIMATED CRASH SEVERITIES

(Slide 4) Damage to case vehicle (A) was minor. (Slide 5) Direct damage from the first impact began 37-cm rearward of the left-front bumper corner and extended 170 cm to the rear. The maximum crush from the first impact was 14 cm at the forward portion of the left door. (Slide 6) Direct damage from the second impact began 137-cm forward of the left-rear bumper corner and extended 73-cm forward. The maximum crush from the second impact was 7 cm at a point just forward of the left-rear wheel well.

Using the WinSMASH accident-reconstruction program, and a (slides 7, 8, 9 and 10) crush profile measured for case vehicle (A), the following impact severity was calculated for the first impact:

		Calculated Velocity Change - kph (mph)					
Vehicle	Variable	Total	Longitudinal	Latitudinal			
Case Vehicle (A)	EBS	13 (8)	-10 (-6)	8 (5)			

## **DESCRIPTION OF DAMAGE TO CASE VEHICLE (A)**

#### **Exterior**

On the left side, (slide 11) the fender, the lower A- and B-pillars, the door, (slide 12) the front wheel, and (slide 13) the quarter panel were damaged by direct contact. The left door was jammed closed. (Slide 14) The left portion of the windshield was cracked due to deformation of the left lower A-pillar and/or body distortion. (Slide 15) The left upper door frame was bowed outward. (Slide 16) The cargo bed came forward and scratched the left rear of the truck cab. There was no change in the left wheelbase.

In the front, (slide 17) the grille was broken out. (Slide 18) There was no other frontal damage.

(Slide 19) The right side of the cargo bed was shifted slightly to the left. (Slides 20 and 21) There was no other right-side damage and no change in the right wheelbase.

There was no damage to the rear of the vehicle.

### **Interior**

This vehicle was equipped with (slide 22) steering-wheel and (slides 23 and 24) passenger frontal-impact airbags, and both deployed in this left-side impact. (Slides 25 and 26) There was no damage to the steering-wheel or (slide 27) passenger airbag module covers. (Slide 28) There was no damage to the steering-wheel rim or (slide 29) spokes. (Slide 30) There were no intrusions. There was no damage to the (slide 31) roof, or to the (slide 32) left-front, (slide 33) center-front, or (slide 34) right-front interior areas.

## OCCUPANT KINEMATICS AND INJURIES

(Slide 35) The 5-ft, 5-in, 98-lb, 77-year-old female driver was wearing the three-point belt, and the (slide 36) frontal-impact airbag deployed in this left-side impact. (Slide 37) There was a webbing imprint on the plastic D-ring, indicating belt use at the time of the crash. The adjustable shoulder belt anchor was in the full-up position. (Slide 38) The driver seat was positioned in the

full-forward seat-track position, but it is doubtful that this 5-ft, 5-in driver would have driven with seat this far forward.

On impact, the driver moved forward and to the left relative to the vehicle interior into the belt restraint and airbag. She sustained a contusion to the left side of her chest, probably from direct contact with the side door interior panel, or possibly due to loading by the shoulder belt. She sustained an abrasion to her left elbow, probably from direct contact with the interior panel of the driver door, or possibly due to contact by the deploying airbag. She sustained a contusion to her left hip, probably from direct contact with the interior door panel, or possibly from loading by the lap belt. There were no witness marks on the (slide 39) driver-door window or the (slide 40) interior panel of the driver door.

The following table and attached drawing (slide 41) summarize the injuries for the driver of case vehicle (A).

Occupant: Driver Restraints: 3-point belt worn; airbag deployed

Age: 77 years Stature: 165 cm (5 ft, 5 in)

Gender: Female Mass: 44 kg (98 lb)

Injury Source  Probable Possible  Interior panel of driver door  Interior panel of driver door  Interior panel of driver Lap belt
Interior panel of driver door  Interior panel of driver door  Airbag door
door
Interior panel of driver   Lan holt
door

Duplicate columns 1-8 Module <u>G l</u> Format <u>(</u> from the previous card. 9 10 1	) <u>2</u> 1 12	GENERAL INFORMATION	GI-1
TIME DATE OF COLLISION		ENVIRONMENTAL CONDITIONS CONSTRUCTION ZONE	
	_	(0) NO (1) YES (9) UNKNOWN ROAD ALIGNMENT	<u>O</u> 33
(24 HOUR CLOCK) <sup>21</sup> <sup>24</sup>		VERTICAL PLANE	
LOCATION STATE:		(1) LEVEL (2) CREST OF HILL (3) SLOPE (2%) (4) BOTTOM OF HILL (9) UNKNOWN	34
STATE FIPS CODE	25 26	ROAD ALIGNMENT HORIZONTAL PLANE	
AREA (1) URBAN (2) RURAL (9) UNKNOWN	27	(1) STRAIGHT (2) CURVE (3) T - SHAPED (4) Y - SHAPED (7) OTHER:	35
ENVIRONMENTAL CONDITIONS		SURFACE COVERING	1,0
LIMITED-ACCESS HIGHWAY (0) NO (1) YES (9) UNKNOWN	<u></u>	(10) DRY  (21) WATER - DAMP (22) WATER - WET (23) WATER - PUDDLED (29) WATER - AMOUNT UNKNOWN	36 37
ROAD, TOTAL TRAFFIC LANES (FOR CASE VEHICLE)  (1) 1-LANE (2) 2-LANES (3) 3-LANES (4) 4 OR MORE LANES (5) DIVIDED, 4 OR MORE LANES (6) PARKING LOT/DRIVEWAY (7) OTHER: (9) UNKNOWN  INTERSECTING RD, TOTAL LANES	<u>6</u>	(31) SNOW - LOOSE (32) SNOW - PACKED (39) SNOW - CONDITION UNKNOWN  (41) ICE (51) SLUSH (61) SPILLED GRAVEL (71) OTHER: (99) UNKNOWN  VISIBILITY LIMITATION (FOR CASE VEHICLE)	
CHOOSE FROM ABOVE LIST, OR  (8) NOT APPLICABLE	4 30	(0) NONE (1) CLOUDY/DARK (2) FOG (3) SMOKE (4) WINDSHIELD CONDITION	<u>O</u> 38
TYPE OF ROAD SURFACE  (1) ASPHALT (2) CONCRETE (3) GRAVEL (4) MORE THAN ONE (CIRCLE EACH) (7) OTHER: (9) UNKNOWN	31	(5) GLARE (6) RAIN (7) OTHER: (8) ICE/SNOW (9) UNKNOWN  VISIBILITY OBSTRUCTION (FOR CASE VEHICLE)	
ROAD DEFECTS  (0) NO (1) YES (9) UNKNOWN	<u></u>	(0) NONE (1) BUILDING (2) SIGN (3) VEGETATION (E.G. BUSHES, SHRUBS) (4) TREE (5) HILL OR CURVE IN ROAD (6) VEHICLE IN TRANSPORT (7) OTHER: Bridge Abythmax (8) PARKED VEHICLE (9) UNKNOWN	7 39


ENVIRONMENTAL CONDITIONS  SPEED LIMIT  (0) 5-45 km/h 5-25 mph (1) 45-55 30 (2) 56-60 35 (3) 61-70 40 (4) 61-85 50 (6) 80-85 55 (7) 91-105 60 (8) OVER 105 65 (9) UNKNOWN  PRECIPITATION  (0) NONE (1) RAIN (2) SNOW (3) FREEZING RAINSLEET (7) OTHER. (9) UNKNOWN  RATE OF PRECIPITATION  (1) LIGHTRAIST (2) MODERATE (3) HEAPY (8) NOT APPLOABLE (9) UNKNOWN  TEMPERATURE  (0) BELOW -15* C BELOW 5* F (1) 1-15* TO -5 570 22 (2) 5- 10-1 2270 38 (3) 10-1 2270 38 (4) 10-1 2270 38 (5) 10-1 2270 38 (6) 10-1 2270 38 (6) 10-1 2270 38 (6) 10-1 2270 38 (7) 10-1 2270 38 (8) 10-1 2270 38 (9) UNKNOWN  CROSSWIND  (1) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (3) UNKNOWN  LIGHT CONDITIONS  LIGHT CONDITIONS  LIGHT CONDITIONS  LIGHT CONDITIONS  LIGHT CONDITIONS  LIGHT CONDITIONS  LIGHT CONDITIONS (1) DAYLIGHT (2) DAWN (3) DAYLIGHT (4) DAYLIGHT (5) DAYLIGHT (6) DAYLIGHT (7) DAYLIGHT (8) DAYLIGHT (9) UNKNOWN (1) DAYLIGHT (1) DAYLIGHT (2) DAWN (3) DAYLIGHT (4) DAYLIGHT (4) DAYLIGHT (5) DAYLIGHT (6) DAYLIGHT (6) DAYLIGHT (7) DAYLIGHT (8) DAYLIGHT (9) UNKNOWN (1) DAYLIGHT (1) DAYLIGH (1) DAYLIGH (1) DAYLIGHT (1) DAYLIGHT (1) DAYLIGHT (1) DAYLIGHT (1) DAYLIGHT (1) DAY	-		GENERAL INFORMATION G	il-2
(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN  RATE OF PRECIPITATION	SPEED LIMIT  (0) 5-45 km/h 5-25 mph (1) 46-55 30 (2) 56-60 35 (3) 61-70 40 (4) 71-79 45 (5) 80-85 50 (6) 86-90 55 (7) 91-105 60 (8) OVER 105 65		WAS THERE MENTION OF A MECHANICAL MALFUNCTION IN CASE VEHICLE  (0) NO (1) YES (2) YES, DID NOT CONTRIBUTE TO ACCIDENT	<u>O</u> 46
(2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN  TEMPERATURE  (0) BELOW -15° C BELOW 5° F (1) -15 TO -6 5 TO 22 (2) -5 TO -1 23 TO 31 (3) 0 TO 2 32 TO 36 (4) 3 TO 5 37 TO 41 (5) 6 TO 15 42 TO 59 (6) 16 TO 25 60 TO 77 (7) 26 TO 35 78 TO 95 (8) OVER 95 (9) UNKNOWN  CROSSWIND  (0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN  LIGHT CONDITIONS  (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (6) DARK, UNKNOWN IF LIGHTED	(0) NONE (1) RAIN (2) SNOW (3) HAIL (4) FREEZING RAIN/SLEET (7) OTHER: (9) UNKNOWN  RATE OF PRECIPITATION	41	OUT IF A MECHANICAL MALFUNCTION IS RECOGNIZED OR SUSPECTED.  CIRCLE ITEMS INVOLVED. SUPPORT ANY ITEMS CIRCLED WITH COMMENTS.  BRAKE SYSTEM DRIVER CONTRO	OLS
(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN  LIGHT CONDITIONS  (1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED	(2) MODERATE (3) HEAVY (8) NOT APPLICABLE (9) UNKNOWN  TEMPERATURE  (0) BELOW -15° C BELOW 5° F (1) -15 TO -6	42	SUSPENSION SYSTEM VISIBILITY ITEMS ELECTRICAL SYSTEM TIRES THROTTLE CONTROLS UNKNOWN OTHER:	
(1) DAYLIGHT (2) DAWN (3) DUSK (4) DARK, LIGHTED (5) DARK, UNLIGHTED (6) DARK, UNKNOWN IF LIGHTED	(0) NONE (1) LIGHT (2) STRONG (3) GUSTY & STRONG (9) UNKNOWN	1 44		  
	<ul> <li>(1) DAYLIGHT</li> <li>(2) DAWN</li> <li>(3) DUSK</li> <li>(4) DARK, LIGHTED</li> <li>(5) DARK, UNLIGHTED</li> <li>(6) DARK, UNKNOWN IF LIGHTED</li> </ul>	45		——————————————————————————————————————

		GENERAL INFORMATION	GI-3
CRASH DETAILS  CASE VEHICLE AND OBJECT		HIGHEST POLICE INJURY SEVERITY CODE IN CRASH (NOT JUST CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	<u>O</u> 47	(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL	
CASE VEHICLE ROLLOVER  (0) NO ROLLOVER  (1) YES, FIRST EVENT  (2) YES, SUBSEQUENT EVENT  (3) YES, SEQUENCE UNKNOWN	<b>O</b> 48	(5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (9) UNKNOWN	<u>2</u>
(a) NUKNOMN		DRIVER IMPAIRMENT	
CASE VEHICLE RAN OFF ROADWAY (BEFORE FIRST IMPACT)		DRIVER ALCOHOL INVOLVEMENT (CASE VEHICLE)	
(0) NO (1) YES (9) UNKNOWN	49	(0) NONE (1) YES (9) UNKNOWN/NOT REPORTED/ NO DRIVER	56
MOVING CASE VEHICLE AND CONTACTED MOVING VEHICLE		DRIVER ALCOHOL BAC (CASE VEHICLE)	C A
(0) NO (1) YES (9) UNKNOWN	50	(80) NO TEST (90) CHEMICAL TESTS, NO RESULTS (95) AUTOPSY, NO RESULTS (99) UNKNOWN	57 58
CASE VEHICLE AND CONTACTED STOPPED VEHICLE		WAS THERE MENTION OF DRIVER IMPAIRMENT FOR CASE VEHICLE?	
(0) NO (1) YES (9) UNKNOWN	51	(0) NO (1) YES (9) UNKNOWN	59
STOPPED CASE VEHICLE AND CONTACTED VEHICLE		LIST IMPAIRMENTS MENTION	ED:
(0) NO - (1) YES - (9) UNKNOWN	52	-	
TOTAL NUMBER OF VEHICLES CONTACTED BY CASE VEHICLE IN CRASH			
(8) 8 OR MORE (9) UNKNOWN	53	Post - Crash Detail  MANNER CASE VEHICLE LEFT SCENE	
ANY FIRE IN THIS CRASH (NOT JUST CASE VEHICLE)	д	(1) DRIVEN (2) TOWED DUE TO DAMAGE (3) TOWED, NOT DUE TO DAMAGE (4) TOWED, REASON UNKNOWN (9) UNKNOWN	<u>Z</u>
(9) UNKNOWN	54	(0) 0.3.0.000	

THIRD VEHICLE (C):



**NORTH** 



Duplicate columns 1-8 Module O V Format 0 4 from the previous card.	OTHER VEHICLE OV-	1
MAKE: Ford	CARGO:	_
MODEL: RANGER 4x2, Pickup		
VIN 1 FTCR10A	X N U 0 0 0 0 0	
MANUFAC/BODY CODE $\frac{1}{30} \frac{2}{2} \frac{1}{1} \frac{2}{34}$	VEHICLE TYPE PASSENGER VEHICLE	
MAKE/MODEL CODE 3 1 2 1 38	(02) LARGE (03) LIMOUSINE (17) PICKUP CAR (20) UNKNOWN PASSENGER VEHICLE BODY	<u>Z</u>
MODEL YEAR	(24) SUB-MINI (25) MINI (26) SUB-COMPACT (27) COMPACT	
VEHICLE MASS (kg) 0 0 1 2 9 6	(28) INTERMEDIATE (29) FULL	
IF SEPARATE REPORT WAS MADE, GIVE VEHICLE NUMBER	MULTIPURPOSE PASSENGER VEHICLE (14) SMALL UTILITY (WHEELBASE LESS THAN 107°, E.G. JEEP, BRONCO) (15) LARGE UTILITY (WHEELBASE MORE THAN 107°, E.G. PANEL TRUCK, SUBURBAN)	
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)  51	(16) PICKUP TRUCK WITH CANOPY/SHELL COVER (17) PICKUP CAR WITH CANOPY/SHELL COVER (21) MOTOR HOME (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (31) CHASSIS-MOUNTED CAMPER	
TRAVELING SPEED (km/h) 9 9 9		
-(000) PARKED OR STOPPED (995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN	TRUCK (11) VAN (12) PICKUP TRUCK (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (30) UNKNOWN TRUCK TYPE (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN)	
- HIGHEST POLICE INJURY SEVERITY CODE FOR THIS VEHICLE	(34) STRAIGHT TRUCK (35) TRUCK-TRACTOR (BOBTAIL) (36) CHASSIS-CAB (37) UNKNOWN HEAVY TRUCK (38) TRACTOR & SEMI-TRAILER (SEMI)	
(0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING INJURY (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO ACCIDENT (7) NON-FATAL INJURY SEVERITY UNKNOWN (8) UNOCCUPIED VEHICLE (NOT APPLICABLE) (9) UNKNOWN	(39) TRUCK (OR SEMI) & FULL TRAILER(S)  BUS (40) UNKNOWN BUS TYPE (41) SCHOOL BUS (42) INTERCITY BUS (BETWEEN CITIES) (43) TRANSIT BUS (INTRACITY) (44) STREETCAR (ON TRACKS)  (68) TRAIN (CARS) (69) LOCOMOTIVE (ENGINE, SWITCHER)	
<b>3</b> ₃	WHEELBASE (cm)	74

OV-2

Duplicate columns 1-8 from the previous card. Module O V Format 0 2

OTHER VEHICLE

## **ORIGINAL SPECIFICATIONS**

Wheelbase

Front Overhang

$$\frac{0}{2}$$
  $\frac{7}{2}$  cm

**Curb Weight** 

Rear Overhang

$$\frac{1}{25} = \frac{0}{27} = 0$$
 cm

Undeformed End Width (UEW)  $\frac{1}{28}$   $\frac{4}{9}$   $\frac{4}{9}$  cm

$$\frac{1}{29} \frac{4}{9} \frac{4}{9}$$
 cm

Average Track Width 
$$\frac{1}{13} \frac{4}{4} \frac{6}{5}$$
 cm

Overall Length  $\frac{1}{16} \frac{4}{16} \frac{5}{18}$  cm

**Engine Displacement** 


Overall Width (OAW) 1 7 0 cm


Engine: # of Cylinders


$$\frac{\mathcal{O}}{33} \frac{\mathcal{Y}}{34}$$


## **VEHICLE DAMAGE**

#### MEASUREMENTS IN CENTIMETERS









## FRONTAL CRASH OVERLAP

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL)

$$\frac{9}{35} - \frac{9}{37} = \frac{9}{37}$$
 cm

Front-End Overlap (Percent) = DDL UEW

Vehicle Överlap (Percent) = DDL + 1/2 (OAW - UEW)

99%

Duplicate columns 1-8 Module V D Format 0 from the previous card. 9 10 11	1 12		VEHIC	LE DESCRIF	PTION	VD-1
MAKE: <u>Podge</u> MODEL: <u>Pakota</u> Sport 4x2,2	-cloo= C	lub cab	CARGO:			
VIN 1 B 7 G L 2			X 5	<u>00</u>	0	<u>o</u> <u>D</u>
MANUFAC/BODY CODE 1 3 2	12	STOLE	N VEHICLE			
MAKE/MODEL CODE 3 2 3	2 <u>5</u>		'ES IOT COLLECTED			<u>8</u>
MODEL YEAR	9	(9) L	INKNOWN			
VEHICLE MASS (kg) 0 0 1 6 1	3 48		STRUCTURE			1
ODOMETER (km) (ENTER 9'S IF UNKNOWN) (ENTER 8'S IF ELECTRONIC)  49	54	(3) II (4) B	INITIZED NTEGRAL-STUB I ODY & PLATFOF E.G. VW BUG)			63
NUMBER OF OCCUPANTS (ENTER 9'S IF UNKNOWN)	56	(5) P (7) C	ARTIALLY UNITIZED THER:NKNOWN	<b>?</b> ED		
TRAVELING SPEED (km/h) 9 9	59	TRANS	MISSION			
(995) JUST STARTING UP (996) BACKING UP (997) SPEED NOT EXCESSIVE (BUT UNKNOWN) (998) SPEED EXCESSIVE (BUT UNKNOWN) (999) UNKNOWN		(0) N (1) A (2) N				64
VEHICLE TYPE			ION OF TRAN	SMISSION		
PASSENGER VEHICLE (11) 2-DOOR HARDTOP (NO UPPER B-PILLAR) (12) 2-DOOR SEDAN OR COUPE (ANY UPPER B-PILLAR)	3 3 60 61	(1) F	TOR LEVER LOOR ONSOLE			3
(13) 4-DOOR HARDTOP (14) 4-DOOR SEDAN (15) STATION WAGON (16) CONVERTIBLE (18) OTHER PASS. VEH. : (19) PASSENGER VEHICLE, TYPE UNKNOWN		(3) C (7) O	OLUMN THER: NKNOWN			ω
MULTIPURPOSE PASSENGER VEHICLE (21) SMALL UTILITY (E.G. JEEP, SCOUT, BRONCO)		STEER		-		1
(22) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (23) VAN, SIZE UNKNOWN (24) VAN, SMALL (MINI) (25) VAN, LARGE (29) MPV, TYPE UNKNOWN (30) MOTOR HOME		(2) M	OWER ANUAL NKNOWN			66
TRUCK (31) PICKUP TRUCK, UNKNOWN (32) PICKUP TRUCK, SMALL (DOWNSIZED)		BRAKE	S OWER		•	1
(33) PICKUP TRUCK, LARGE (99) UNKNOWN			ANUAL NKNOWN			67

VEHICLE DESCRIPTION VD					
TYPE OF BRAKES  (1) DRUM, ALL WHEELS (2) DISC, FRONT WHEELS (3) DISC, ALL WHEELS (9) UNKNOWN	<b>2</b> 68	WHEELBASE (cm) (999) Unknown  333 76 77 78			
BRAKE ANTI-LOCK DEVICE  (0) NONE INSTALLED (1) TWO-WHEEL (2) FOUR-WHEEL (7) EQUIPPED, UNKNOWN WHEELS (9) UNKNOWN  AIR CONDITIONING IN VEHICLE  (0) NO (1) YES (8) NOT COLLECTED (9) UNKNOWN		PLASTIC ANTI-LACERATIVE INNER LAYER GLASS EQUIPPED  (0) NONE (1) WINDSHIELD (2) WINDSHIELD AND SIDE (7) OTHER (9) UNKNOWN			
TYPE OF DRIVE  (1) REAR WHEEL (2) FRONT WHEEL (3) FOUR WHEEL (4) ALL WHEEL DRIVE (9) UNKNOWN	71	FIELD INVESTIGATOR INSTRUCTIONS:  1. INDICATE CRUSHED AREAS BY <u>OUT-LINING NEW PERIMETER</u> OF VEHICLE AND <u>SHADING THE DAMAGED AREAS</u> ON THE LARGE SKETCH ON PAGE VD-3.  USE AS MANY SKETCHES AS NECESSARY			
DUAL REAR WHEELS  (0) NO (1) YES (9) UNKNOWN	72	TO COMPLETELY DESCRIBE THE DAMAGE.  2. ENTER THE DIMENSIONS ON THE SKETCH(ES) MEASURED TO THE POINT OF MAXIMUM PENETRATION BY THE OBJECT(S) CONTACTED. USE THE EXAMPLES BELOW AS A GUIDE.			
ORIGINAL TYPE OF RESTRAINT SYSTEM  (1) ACTIVE BELT (2) PASSIVE BELT (3) AIRBAG (4) KNEE BOLSTERS (7) OTHER: (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<u>3</u>	3. ENTER THE THREE DIMENSIONS TO THE CENTER OF THE WHEELS (WHEELBASE, FRONT AND REAR OVERHANGS) ON BOTH SIDES OF THE CAR.  4. ADD OTHER DIMENSIONS AS NECESSARY TO COMPLETELY DESCRIBE THE DAMAGE.  EXAMPLES:			
EQUIPPED WITH ROLL BAR  (0) NO (1) YES (9) UNKNOWN	<u>O</u> 74	FRONT OR REAR			
TYPE OF ROOF  (0) NONE (1) SOLID (2) T-TOP CLOSED (3) T-TOP OPEN (4) SUN ROOF CLOSED (5) SUN ROOF OPEN (6) CONVERTIBLE CLOSED (7) CONVERTIBLE OPEN (8) OTHER: (9) UNKNOWN	75	SIDE ROOF (REFERENCE TO TOP OF DOOR SILL OR WINDOW SILL)			

Duplicate columns 1-8 from the previous card.

VEHICLE DESCRIPTION

VD-3

## **ORIGINAL SPECIFICATIONS**

Wheelbase

Front Overhang

**Curb Weight** 

Rear Overhang

$$\int_{25}^{27} Z \frac{6}{27} cm$$

Average Track Width 
$$\frac{1}{13} \frac{5}{5} \frac{5}{5}$$
 cm

Overall Length  $\frac{5}{16} \frac{9}{16} \frac{6}{18}$  cm

Undeformed End Width (UEW)

**Engine Displacement** 


$$\frac{3}{31} \cdot \frac{9}{32}$$


Overall Width (OAW) 1 8 2 cm

Engine: # of Cylinders

$$\frac{\mathcal{O}}{33} \quad \frac{\mathcal{G}}{34}$$

## **VEHICLE DAMAGE**





## FRONTAL CRASH OVERLAP

from initial impact

Round up for .5. 98 = 98% or more Enter % overlap or "99" for missing or N/A. Direct Damage Length (DDL) 9 9 9 cm

Front-End Overlap (Percent) =  $\frac{DDL}{UEW}$ 

$$\frac{\dot{q}}{38} \frac{9}{39} \%$$

Vehicle Overlap (Percent) = DDL + 1/2 (OAW - UEW) OAW

Duplicate columns 1-8 Module D // from the previous card. 9 10	A_Format 0 2 11 12	Damage DA-1
PRIMARY	CASE VEHICLE PRIMARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1	veh (B)
IMPACT SPEED (km/h)	9 9 9 14 15 16	9 9 35 37
ESTIMATED BY	$\frac{I}{I}$	
CRUSH (cm)	$ \underbrace{0}_{18} \underbrace{1}_{19} \underbrace{4}_{20} $	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
CDC #1	1 1. LYEW. 2	99.00000
CDC #2	98.0000.0	99.0000.0
Duplicate columns 1-8 Module D A from the previous card.	A_Format _0 _3	
SECONDARY	CASE VEHICLE SECONDARY CDC	CONTACTED VEHICLE ASSOCIATED CDC
EVENT NUMBER	1	ye4 (B)
IMPACT SPEED (km/h)	9 9 9	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
ESTIMATED BY	<u>/</u>	<del>/</del>
CRUSH (cm)	$O_{18} O_{19} O_{20}$	9 9 9 39 40 41
CDC #1	<u>O</u> 9 . <u>L</u> <u>B</u> <u>E</u> <u>W</u> . <u>1</u>	99.0000.0
CDC #2	<u>9</u> <u>8</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u> <u>0</u>	99.0000
Codes		
EVENT NUMBER	IMPACT SPEED ESTIMATOR	CRUSH
(8) NOT APPLICABLE (9) UNKNOWN IMPACT SPEED	(2) DRIVER (3) POLICE (4) "CRASH" PROGRAM	(998) NOT APPLICABLE (NO VEHICLE/DAMAGE) (999) UNKNOWN
(998) NOT APPLICAB (999) UNKNOWN	(5) OTHER COMPUTER PROGRAM	CDC (9800000) NOT APPLICABLE (9900000) UNKNOWN

DAMAGE DA-2 Duplicate columns 1-8 Module D A Format 0 1 from the previous card. 10 MAXIMUM SHEET METAL CRUSH (cm) (999) UNKNOWN 0 0 0 O O OFRONT RIGHT SIDE 014 <u>O</u> <u>O</u> <u>D</u> REAR LEFT SIDE <u>O</u> <u>O</u> 30 <u>O</u> <u>O</u> <u>O</u> <u>27</u> **ROOF OTHER** CHRONOLOGICAL SEQUENCE OF DAMAGE/INJURY PRODUCING CRASH EVENTS FOR CASE VEHICLE DO YOU KNOW THIS TABLE TO BE IN CHRONOLOGICAL ORDER? NOTE: IF CHRONOLOGICAL ORDER IS UNKNOWN, EVENT ORDER IS OPTIONAL. (0) NO (1) YES EVENT NUMBER IMPACT CONFIGURATION OBJECT/VEHICLE CONTACTED IMPACT LOCATION (1) ON ROADWAY FOR CODES, SEE TABLE FOR CODES, SEE TABLE (2) SHOULDER/MEDIAN/GORE ON PAGE DA-3. (3) ON ROADSIDE ON PAGE DA-4. (4) OUTSIDE ROADSIDE RIGHT-OF-WAY (5) OTHER (6) OFF ROADWAY, LOC. UNK. (9) UNKNOWN # 1 #2 #3 #4 #5 #6 57 #7 62 主.

#### **CODES FOR** IMPACT CONFIGURATION

#### **FRONT OF CASE VEHICLE**

- (11) AND FRONT OF CONTACTED VEHICLE
- (13) AND SIDE OF CONTACTED VEHICLE
- (14) AND REAR OF CONTACTED VEHICLE
- (16) ENDSWIPED BY CONTACTED VEHICLE
- (17) AND OBJECT
- (19) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

#### LEFT SIDE OF CASE VEHICLE

- (21) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (22) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (23) AND SIDE OF CONTACTED VEHICLE (NOT SIDÉSWIPE)
- (24) AND REAR OF CONTACTED VEHICLE (TYPE T) (25) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (26) SIDESWIPED BY CONTACTED VEHICLE
- (27) AND OBJECT
- (29) AND UNKNOWN OTHER VEHICLE CONFIGURATION

#### **REAR OF CASE VEHICLE**

- (31) AND FRONT OF CONTACTED VEHICLE
- (33) AND SIDE OF CONTACTED VEHICLE
- (34) AND REAR OF CONTACTED VEHICLE
- (36) ENDSWIPED BY CONTACTED VEHICLE
- (37) AND OBJECT
- (39) AND UNKNOWN OTHER VEHICLE CONFIGURATION

# RIGHT SIDE OF CASE VEHICLE

- (41) AND FRONT OF CONTACTED VEHICLE (TYPE T)
- (42) AND FRONT OF CONTACTED VEHICLE (TYPE L)
- (43) AND SIDE OF CONTACTED VEHICLE (NOT SIDESWIPE)
- (44) AND REAR OF CONTACTED VEHICLE (TYPE T) (45) AND REAR OF CONTACTED VEHICLE (TYPE L)
- (46) SIDESWIPED BY CONTACTED VEHICLE
- (47) AND OBJECT
- (49) AND <u>UNKNOWN</u> OTHER VEHICLE CONFIGURATION

## **OTHER**

- (57) VEHICLE TO OBJECT
- (58) VEHICLE TO VEHICLE
- (59) VEHICLE TO VEHICLE, CONFIGURATION UNKNOWN

## **ROLLOVER**

- (61) LESS THAN 360°
- (62) 360° OR MORE
- (69) DETAILS UNKNOWN

#### UNKNOWN

(99) IMPACT TYPE UNKNOWN

# DAMAGE DA-4

#### CODES FOR VEHICLE/OBJECT CONTACTED

#### **VEHICLE/OBJECT GROUPS** NO OBJECT (40) UNKNOWN BUS TYPE (01) - (39) PASSENGER VEHICLE & TRUCK (41) SCHOOL BUS (40) - (69) OTHER VEHICLE (42) INTERCITY BUS (BETWEEN CITIES) (70) - (76) PEDESTRIAN & ON-ROADWAY OBJECT (43) TRANSIT BUS (INTRACITY) (77) - (97) OFF-ROADWAY OBJECT (44) STREETCAR (ON TRACKS) OTHER (DESCRIBE) UNKNOWN (99) MOTORCYCLE (50) UNKNOWN MOTORCYCLE TYPE (51) 1 - 75 cc (52) 76 - 125 cc **PASSENGER VEHICLE** (02) LARGE (53) 126 - 250 cc (03) LIMOUSINE (17) PICKUP (54) 251 - 500 cc (20) UNKNOWN PASSENGER VEHICLE BODY (55) 501 - 750 cc (24) SUB-MINI (56) 751 cc + (57) 3-WHEELS (OR WITH SIDECAR) (25) MINI (26) SUB-COMPACT SPECIAL PURPOSE VEHICLE (27) COMPACT (28) INTERMEDIATE (60) UNKNOWN/OTHER SPECIAL VEHICLE (DESCRIBE) (61) SNOWMOBILE (29) FULL (62) ATV (ALL TERRAIN VEHICLE) (63) AMPHIBIOUS VEHICLE (64) FARM VEHICLE SIZE WHEELBASE (65) CONSTRUCTION VEHICLE (66) TRAILER, PRIVATE (CAMPER) < 2286 mm ( < 90") SUB-MINI (67) TRAILER, COMMERCIAL (CARGO) 2286 - 2412 mm (90" - 94.9") MIN! (68) TRAIN (CARS) SUB-COMPACT 2413 - 2539 mm (95" - 99.9") 2540 - 2666 mm (100" - 104.9") (69) LOCOMOTIVE (ENGINE, SWITCHER) COMPACT 2667 - 2793 mm (105" - 109.9") INTERMEDIATE 2794 - 2920 mm (110" - 114.9") FULL 2921 - 3174 mm (115" - 124.9") **OBJECT** LARGE (70) PEDESTRIAN LIMOUSINE > 3175 mm (> 125") (71) BICYCLIST, OTHER PEDALCYCLIST (72) PEDESTRIAN CONVEYANCE (E.G. PERSON RIDING ANIMAL, CART) **MULTIPURPOSE PASSENGER VEHICLE** (11) SMALL VAN (MINI) (73) LARGE ANIMAL (12) PICKUP (74) FALLEN OBJECT (E.G. OBJECT DISLODGED FROM (14) SMALL UTILITY (WHEELBASE LESS THAN 107", OTHER VEHICLE, FALLEN TREE, ROCKS) E.G. JEEP, BRONCO) (75) ROCKS (15) LARGE UTILITY (WHEELBASE MORE THAN 107\*, E.G. PANEL TRUCK, SUBURBAN) (76) CONSTRUCTION EQUIPMENT (EXCLUDING (65)) (77) SIGN POST, UTILITY POLE, TREE (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (78) DITCH (17) PICKUP CAR WITH CANOPY/SHELL COVER (79) EMBANKMENT, SNOWBANK, RR TRACKS RR X (21) MOTOR HOME (80) GROUND (ROLLOVER ONLY) (81) CURB (DAMAGE PRODUCING IMPACTS ONLY) (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (23) PICKUP CAR WITH SLIDE-IN CAMPER (82) CULVERT (31) CHASSIS-MOUNTED CAMPER (83) FENCE (84) HYDRANT, SHORT POST, STUMP (85) SMALL POST/TREE, RURAL MAIL BOX, MILE MARKER, DELINEATOR TRUCK (11) SMALL VAN (E.G. ECONOLINE) (86) BUILDING (12) PICKUP TRUCK (87) PIER, PILLAR, BRIDGE SUPPORT (88) ABUTMENT, RETAINING WALL (13) UNKNOWN LIGHT TRUCK (15) LARGE UTILITY (E.G. PANEL TRUCK, SUBURBAN) (89) BRIDGE RAIL (16) PICKUP TRUCK WITH CANOPY/SHELL COVER (22) PICKUP TRUCK WITH SLIDE-IN CAMPER (90) GUARD RAIL, LEADING SECTION (91) GUARD RAIL, MIDDLE OR UNKNOWN (30) UNKNOWN TRUCK TYPE (92) GUARD RAIL, TRAILING SECTION (31) CHASSIS-MOUNTED CAMPER (33) DELIVERY VAN (WALK-IN) (34) STRAIGHT TRUCK (93) GUARD POST (TIMBER, METAL, CONCRETE) (94) CABLE, FENCE BARRIER (95) CONCRETE BARRIER (MEDIAN) (35) TRUCK-TRACTOR (BOBTAIL) (96) IMPACT ATTENUATOR

(97) BREAKAWAY FEATURES

主.

(36) CHASSIS-CAB

(37) UNKNOWN HEAVY TRUCK

(38) TRACTOR & SEMI-TRAILER (SEMI) (39) TRUCK (OR SEMI) & FULL TRAILER(S)

	R Format 0 1 10 11 12	CRASH RECONSTRUCTION CR-1 for $\Delta V$					
	CASE VEHICLE F	PRIMARY IMPACT	CASE VEHICLE SECONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE			
EVENT NUMBER	13		47				
ΔV (km/h) TOTAL	9 14 15 16	$\frac{9}{32} \frac{-}{33}$	48 49 50	66 67 68			
LONGITUDINAL*	9	9	51 54	69 72			
LATERAL*	$\frac{9}{21} - {}{}_{24}$	$\frac{9}{39} = {}$					
*NOTE: THESE $\Delta V$ COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76			
EXAMPLES: 10 km/h = ± <u>0</u> 1 <u>0</u> -7 km/h = <u>:</u> <u>0</u> <u>0</u> <u>7</u>							
ENERGY DISSIPATED BY CRUSH (kj)	9	9	59 62	77 80			
RECONSTRUCTION							
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	12						
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64				
NOT RECONSTRUCTED BECAUSE							
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER:		•	_				
(11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT INSPECTED							
MODE							
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	31		65	•			
COMPUTER PROGRAM SPECIFY:							

	Ouplicate columns 1-8 Module C R Format 0 2 rom the previous card. 9 10 11 12			CRASH RECONSTRUCTION CR-2 for EBS				
	CASE VEHICLE P	PRIMARY IMPACT	CASE VEHICLE SE	CONDARY IMPACT				
	CASE VEHICLE	CONTACTED VEHICLE	CASE VEHICLE	CONTACTED VEHICLE				
EVENT NUMBER	13		47					
EBS (km/h) TOTAL	<u>O</u> 1/15 3/16	$\frac{9}{32} = \frac{1}{33}$	48 49 50	66 67 68				
LONGITUDINAL*	$\frac{-}{17} \frac{0}{1} \frac{1}{20}$	$\frac{9}{35} = {}$	51 54	69 72				
LATERAL*	+008	9						
_ *NOTE: THESE EBS COMPONENTS MUST INCLUDE SIGN.	21 24	39 42	55 58	73 76				
EXAMPLES: 10 km/h = ± <u>Q 1 Q</u> -7 km/h = <u>- Q Q 7</u>								
ENERGY DISSIPATED BY CRUSH (kj)	<u>0</u> <u>0</u> <u>1</u> <u>2</u> <u>28</u>	9	59 62	77 - 80				
RECONSTRUCTION								
(01) RECONSTRUCTED, UNKNOWN CONFIDENCE LEVEL	21							
(21) RECONSTRUCTED, LOW CONFIDENCE LEVEL (22) RECONSTRUCTED, MODERATE CONFIDENCE LEVEL (23) RECONSTRUCTED, HIGH CONFIDENCE LEVEL	29 30		63 64					
NOT RECONSTRUCTED BECAUSE				:				
(02) INSUFFICIENT DATA (03) EXCESSIVE UNDERRIDE/ OVERRIDE (04) ROLLOVER (05) VAULTING (06) OTHER TRAVEL IN MORE THAN ONE PLANE (07) NON-HORIZONTAL FORCE (08) SIDESWIPE-TYPE DAMAGE (09) YIELDING OBJECT (10) OTHER: (11) AT LEAST ONE VEHICLE BEYOND SCOPE (12) OTHER VEHICLE NOT			-					
INSPECTED MODE								
(1) CDC ONLY (2) CDC & DETAILED DAMAGE (3) TRAJECTORY & CDC (4) TRAJECTORY & CDC & DETAILED DAMAGE (5) NOT RECONSTRUCTED	<b>Z</b> 31		65	•				
COMPUTER PROGRAM SPECIFY: WIN SMAS H								

CRASH RECONSTRUCTION Duplicate columns 1-8 Module C R Format 0 CR-3 from the previous card. 9 10 1. ENTER CRASH RECONSTRUCTION DAMAGE MEASUREMENTS IN CENTIMETERS. NOTES: CASE VEHICLE 2. MEASURE  $C_1$  TO  $C_6$  FROM DRIVER TO PASSENGER SIDE IN FRONT OR REAR IMPACTS, REAR TO FRONT IN SIDE IMPACTS. LOCATOR 3. D IS POSITIVE IF MEASURED TO A POINT FORWARD OF OR TO THE RIGHT OF THE CG. 4. USE THE CENTER OF THE WHEELBASE AS THE CG. Locate the end of the damage with respect to the vehicle longitudinal center line, or an undamaged axle for side impacts. Specific Impact No. Location of Direct Damage Location of Field L Zien Rega of Cr. ft. BC 137 cm . . 2 C6 **C5** DL C3 UDL PLANE: ,FL D=+120 ,DL D=+137 (1) Bumper (2) Above Bumper (3) Sill (4) Above Sill (5) Other CARGO BEV (9) Unknown **CRUSH PROFILE IN CENTIMETERS** NOTE: Each line in the table below is a separate record (card) Duplicate columns 1 - 12 for each completed line. Specific Plane **Direct Damage**  $C_1$  $C_2$  $C_4$ Impact of impact  $C_5$ Length Max Field  $C_3$ ±D Number C-Measur. (DDL) Crush 225 +13 Z 000011 014 13 14 15 16 17 18 19 20 5 126 2 **★** 7 073 073 007 999 999 999 999 999 -106 2

	e columns 1-8 previous card.	Module <u>C</u>	R Forma	at <u>0 4</u>		С	RASH F	RECONS	STRUCT	ION	CR-4
NOTES	2. MEASIMPAC 3. D IS P	R CRASH RECOR URE C <sub>1</sub> TO C <sub>6</sub> F TS, REAR TO FR OSITIVE IF MEAS HE CENTER OF lamage with res	ROM DRIVER BONT IN SIDE I SURED TO A F THE WHEELB	TO PASSENG IMPACTS. POINT FORWA ASE AS THE C	ER SIDE IN ARD OF OR CG.	FRONT OF	R REAR GHT OF THE		L	ER VEHOCATO	
Specific	Impact No.	L	ocation of	Direct Dar	mage			Locat	ion of Fi	eld L	
							<del></del>				
PLA	(1) Bumper (2) Above Bum (3) Sill (4) Above Sill (5) Other (9) Unknown	nper	CRUSH e below is a s	C6 C5 C4 C3 C2 C1	IN CENord (card).		ERS blicate colu	DL UDL	2 for each	complete	d line.
Specific- Impact	Plane of Impact	Direct I	Damage Max	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
Number	C-Measur.	(DDL)	Crush	L			-3	-4	-5	96	
<del> </del>											

Specific-	Plane		t Damage	separate rec	cora (cara).		plicate col	umns 1 - 1	2 for eacr	complete	d line.
Impact Number	of Impact C-Measur.	Length (DDL)	Max Crush	Field	C <sub>1</sub>	C <sub>2</sub>	C <sub>3</sub>	C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	±D
					-	-					
1	9	999	999	999	999	999	999	999	999	949	+999
13	14	15 16 17	18 19 20	21 22 23	24 25 26	27 28 29	30 31 32	33 34 35	36 37 38	39 40 41	42 43 44 45
										-	
主_	<b>D</b> : 1					_	-				
2	9	999	999	999	994	660	446	699	906	606	æG00

Duplicate columns 1-8 from the previous card.  Module W T 9 10	Format <u>0</u>		WHEELS AND TIRES WT-1
WHEELSDAMAGED  (0) NO (1) YES (9) UNKNOWN	LF RF RR LR	13 0 0 0 0	SIZE (NOT DOT CODE. IF UNKNOWN, USE 9'S)  LF
TIRE TREAD TYPE  (1) REGULAR  - (2) SNOW  (3) SLICKS  (4) ALL WEATHER (MS)  (7) OTHER:  (9) UNKNOWN	LF RF RR LR	4 17 4 4 - 4	LR <u>V</u>
CARCASS CONSTRUCTION  (1) BIAS (2) BELTED BIAS (3) RADIAL (4) ELLIPTICAL (5) HI PRESSURE SPARE (6) SPACE SAVER SPARE (7) OTHER: (9) UNKNOWN	LF RF RR	3 3 3 24	-
IF VEHICLE IS EQUIPPED WITH DUAL WHEELS, COMPLETE FOR OUTER WHEELS AND MAKE NOTES ON INNER WHEELS. NOTES:			

Duplicate columns 1-8 Module F T Forma from the previous card. 9 10	at <u>0 1</u>	FUEL AND FUEL TANKS	FT-1
TYPE OF PROPULSIVE FUEL  (1) GASOLINE (2) DIESEL OIL (3) LPG (4) ELECTRIC (7) OTHER: (9) UNKNOWN	13	AUXILIARY TANK TYPE  (1) OEM TANK (2) AFTER MARKET TANK (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN	<b>8</b> 21
MAIN TANK LOCATION	<u>322</u>	AUXILIARY TANK LOCATION	8 8 8 22 24
MAIN FILLER CAP LOCATION	3 13 17 19	AUXILIARY FILLER CAP LOCATION	8 8 <u>Y</u> 27
- MAIN TANK MATERIAL	3 20	AUXILIARY TANK MATERIAL	28

# TANK AND FILLER CAP LOCATION CODES

#### FIRST DIGIT (LONGITUDINAL)

- (1) BEHIND KICK-UP
- (2) IN KICK-UP
- (3) BETWEEN KICK-UP & COWL
- (4) FORWARD OF COWL
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

# SECOND DIGIT (LATERAL)

- (1) LEFT OF FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) RIGHT OF FRAME
- (4) DUAL, RIGHT & LEFT TANKS
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

## THIRD DIGIT (VERTICAL)

- (1) BELOW FRAME
- (2) WITHIN FRAME OR CENTERED
- (3) ABOVE FRAME
- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

## **TANK MATERIAL CODES**

- (1) STEEL
- (2) ALUMINUM
- (3) PLASTIC
- (7) OTHER

主.

- (8) NOT APPLICABLE (NOT EQUIPPED)
- (9) UNKNOWN

FUEL LEAKAGE Duplicate columns 1-8 Module F L Format 0 1 FL-1 from the previous card. 11 12 DID FUEL LEAKAGE RESULT FROM A CRASH EVENT (0) NO KNOWN LEAKAGE SKIP PAGE. (1) YES COMPLETE PAGE. 11 Ш IV **LEAK LEAKING** COMPONENT TYPE OF SEVERITY LOCATION **EVENT** COMPONENT NUMBER SOURCE DAMAGE OF DAMAGE OF LEAK NUMBER #1 15 21 #2 23 29 #3 30 31 37 #4 39 #5 LEAKING COMPONENT IV SEVERITY OF DAMAGE **TANK AREA EEC SYSTEM (CONTINUED)** (1) MINOR (2) MODERATE (11) MAIN FUEL TANK (INCLUDING (33) VAPOR RECOVERY HOSES (3) SEVERE **VAPOR RECOVERY DOME)** (CANISTER TO CARBURETOR) (4) DISCONNECTED/DEFEATED (12) AUXILIARY FUEL TANK (34) LIQUID-VAPOR SEPARATOR (9) UNKNOWN (13) MAIN TANK FILLER TUBE (UNLESS PART OF TANK) (14) MAIN TANK CAP (GAS CAP) (35) CANISTER (15) AUXILIARY TANK FILLER TUBE (39) EEC SYSTEM, DETAILS V LOCATION OF LEAK (16) AUXILIARY TANK CAP (GAS CAP) UNKNOWN (19) TANK AREA, DETAILS UNKNOWN FIRST DIGIT (LONGITUDINAL LOCATION) (49) ENGINE COMPARTMENT, **DELIVERY SYSTEM** COMPONENT UNKNOWN (1) F. FORWARD OF COWL (99) COMPONENT UNKNOWN (2) P, BETWEEN COWL & (21) FUEL FEED LINE (MAIN TANK REAR BULKHEAD TO FUEL PUMP) (3) B, BEHIND REAR BULKHEAD (22) FUEL FEED LINE (AUXILIARY (4) Y, F, & P II COMPONENT SOURCE TANK TO FUEL PUMP) (5) Z, P, & B (23) FUEL RETURN LINE (FUEL (6) D, DISTRIBUTED **PUMP TO TANK)** (1) OEM (F, P & B) (24) INLINE FUEL FILTER (2) AFTER MARKET (9) UNKNOWN (25) FUEL LINE (PUMP TO (9) UNKNOWN CARBURETOR OR INJECTOR PUMP) (26) CARBURETOR TO INJECTOR PUMP SECOND DIGIT (27) FUEL PUMP (LATERAL LOCATION) III TYPE OF DAMAGE (29) DELIVERY SYSTEM, DETAILS UNKNOWN (1) L, LEFT (1) DENTED/CRUSHED (2) C, CENTER (2) PUNCTURED (3) R, RIGHT EVAPORATIVE EMISSION CONTROL SYSTEM (3) RUPTURED (4) Y, LEFT CENTER (L & C) (4) SEVERED/GROSS TEARS (5) Z, RIGHT CENTER (R & C) (31) ATMOSPHERIC VENT PIPE (5) DISCONNECTED/DEFEATED (6) D, DISTRIBUTED (NON-EEC EQUIPPED) (9) UNKNOWN (F, P & B) (32) EEC PIPE (VAPOR CANISTER (9) UNKNOWN TO CARBURETOR)

Duplicate columns 1-8 Module F R Format ( from the previous card. 9 10 1		FIRE	FR-1
WAS THERE FIRE IN  (0) NO <u>SKIP</u> PAI  (1) YES <u>COMPLE</u>	GE.	CASE VEHICLE?	
DID FIRE START IN CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	14	SEVERITY OF FIRE DAMAGE  (1) MINOR (2) MODERATE (3) SEVERE (9) UNKNOWN	16
FLAME PROPOGATION RATE  _ (1) RAPID/EXPLOSIVE (2) SLOW/MODERATE (9) UNKNOWN	15	DID AN INJURY TO CASE VEHICLE OCCUPANT RESULT FROM FIRE IN OR ON CASE VEHICLE?  (0) NO (1) YES (9) UNKNOWN	17

PROVIDE NOTES IF FIRE OCCURRED.

	Duplicate columns 1-8 from the previous card.		E D Format 1	0 <u>1</u> 1 12	EXTERIOR DAMAGE	ED-1	1
	HOOD PERFORM				STEERING COL FLEXIBLE COUPLING TYPE	NG	
	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN				(0) NONE (1) FLEXIBLE MATERIAL (2) POT (3) SINGLE U-JOINT (4) DOUBLE U-JOINT (5) FLEXIBLE CABLE (6) COMBINATION OF ABOVE (CIRCLE EACH)		
	HOOD LATCH(ES)-		RELEASED	0   13 0   18	(7) OTHER:		
			-DAMAGED	0			
			-JAMMED	<u>B</u>	COUPLINGDAMAC  (USE CODES FROM HOOD PERFORMANCE) -SEPAR (COMPL	27 ATED 9	
	HOOD HINGES-	-LEFT,	DAMAGED	0	*		
		-LEFT,	SEPARATED (COMPLETE)	0 16 17 0 18			
		-RIGHT,	DAMAGED	<u>D</u>	ENG COMPART TELESCOPING UNI	т	
	HOOD REMAINED OF	-RIGHT,	SEPARATED (COMPLETE)	19	TYPE OF UNIT  (00) NONE INSTALLED  (01) - (07) SEE UNITS ON PAGE ED-2  (88) NOT COLLECTED  (97) OTHER:  (98) EQUIPPED, TYPE UNKNOWN	8 29 3	8 8
	REAR EDGE OF HOO	DD-	-ELEVATED	<u>20</u>	(99) UNKNOWN IF EQUIPPED  ORIGINAL LENGTH (mm)		
	-C	ONTACTED	WINDSHIELD	210	F (OR H):		
	-Pf	ENETRATED	WINDSHIELD	23 23	TELESCOPED LENGTH (mm)  G:		
	HOOD LATCH LOCAT	TON					
	(1) FRONT OF VE (2) COWL AREA (3) SIDE (8) NOT APPLICA (9) UNKNOWN			7 24	DIFFERENCE (mm)  F (OR H) - G		
=== ==================================	SEPARATION (COMP (0) NO (1) YES (9) UNKNOWN		Mount	<u>Ø</u>	(IF LESS THAN 15mm, ENTER *000*.)  (888) NOT COLLECTED  (991) NOT MEASURED/NO COMPRESSION  (992) COMPRESSED, AMOUNT - UNKNOWN  - (993) DEVICE EXTENDED  (997) UNABLE TO BE MEASURED  (998) NOT APPLICABLE (NOT EQUIPPED)  (999) UNKNOWN	8 8	8 33

-		Exterior Damage	ED-2
LEFT-SIDE BODY MOUNT DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 34	LEFT DOORS HOW DID DOORS OPEN DURING COLLISION?	
LEFT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN  -A-PILLAR, UPPER	<u>O</u> 35	USE CODES:  (0) DOOR DID NOT OPEN  OPENED BECAUSE OF  (1) HINGE AREA SEPARATION (2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION (6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER -B-PILLAR, UPPER	35 4 36 0	-FRONT -REAR	0 43 <b>%</b> 44
LOWER	<u>4</u> 38 <u>0</u> 39	DOORS JAMMED CLOSED-  USE CODES:  (0) NO (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	<b>8</b> <del>40</del> <del>40</del>	-FRONT	45 8 46
-D-PILLAR, UPPER	<b>8</b> 41 <b>9</b> 42	-	
<b>3</b> _ 3.		•	

		EXTERIOR DAMAGE	ED-3
		OTHER REAR DAMAGE	
REAR DOOR REAR DOOR TYPE		WAS PARTITION TO LUGGAGE AREA DAMAGED DURING COLLISION?	C
(0) NO DOOR (INCLUDES PICKUPS) (1) HATCHBACK (2) ONE-WAY TAILGATE (3) TWO-WAY TAILGATE	<u>0</u>	(0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	50
(4) CLAMSHELL/DISAPPEARING TAILGATE (5) SINGLE DOOR (6) DOUBLE DOOR (9) UNKNOWN		SPARE TIRE  (0) NO SPARE TIRE	8
Hatchback		(1) NOT ATTACHED BEFORE COLLISION (2) ATTACHED, NOT SEPARATED IN COLLISION (3) ATTACHED, SEPARATED DUE TO	51
-One-way		COLLISION (8) NOT COLLECTED (9) UNKNOWN	
Two-way or or		TRAILER HITCH TYPE (0) NO HITCH	0
Clamshell		BALL-AND-SOCKET TYPES  (1) TEMPORARY FRAMEWORK (E.G. RENTAL CLAMP-ON)	52
Single door		(2) BUMPER-MOUNT ONLY (E.G. LIGHT TRUCK) (3) BUMPER-AND-FRAME (BUT NON-EQUALIZING) (4) LOAD EQUALIZING	
Double door		OTHER TYPES  (5) RING-AND-PINTLE	
HOW DID DOOR OPEN DURING COLLISION?  (0) DOOR DID NOT OPEN		(6) FIFTH-WHEEL (INCL P/U) (7) OTHER (E.G. CLEVIS-AND-PIN)	
OPENED BECAUSE OF  (1) HINGE AREA SEPARATION	8 48	(8) EQUIPPED, TYPE UNKNOWN (9) UNKNOWN IF EQUIPPED	
(2) DOOR-LATCH SEPARATION (3) LATCH-STRIKER SEPARATION (4) STRIKER-PILLAR SEPARATION (5) BODY DISTORTION		TRAILER TYPE (AT TIME OF COLLISION)  (0) NO TRAILER	0
(6) COMBINATION OF ABOVE (CIRCLE EACH) (7) OPENED, REASON UNKNOWN		(1) TRAVEL-TRAILER/CAMPER (2) MOBILE HOME (3) BOAT/SNOWMOBILE/ATV TRAILER (4) UTILITY TRAILER	53
(8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN  DOOR JAMMED CLOSED		(5) TOWED CAR (7) OTHER: (8) TRAILER, TYPE UNKNOWN (9) UNKNOWN	
(0) NO - (1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	<b>8</b> 49		

		EXTERIOR DAMAGE	ED-4
RIGHT-SIDE BODY MOUNT  DID BODY MOUNT SEPARATE?  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 54	RIGHT DOORS  HOW DID DOORS OPEN DURING COLLISION?  USE CODES:	
RIGHT PILLARS  PILLARS SEPARATED COMPLETELY -  USE CODES:  (0) NO (1) YES  (4) NO SEPARATION, BUT DAMAGED (8) NOT APPLICABLE (NOT EQUIPPED) (9) UNKNOWN		(00) DOOR DID NOT OPEN  OPENED BECAUSE OF  (01) HINGE AREA SEPARATION (02) DOOR-LATCH SEPARATION (03) LATCH-STRIKER SEPARATION (04) STRIKER-PILLAR SEPARATION (05) BODY DISTORTION (06) COMBINATION OF ABOVE (CIRCLE EACH) (07) OPENED, REASON UNKNOWN (11) VAN RIGHT-REAR DOOR OPENED (ANY MECHANISM)	
-A-PILLAR, UPPER	<u>0</u> 55	(98) NOT APPLICABLE <i>(NO DOOR)</i> (99) UNKNOWN -FRONT	00
LOWER	56	-REAR	63 64 <b>9</b> 65 66
-B-PILLAR, UPPER LOWER	<i>O</i> 57	DOORS JAMMED CLOSED-  USE CODES:  (0) NO	
-C-PILLAR, UPPER	$\mathcal{\underline{O}}_{\overline{59}}$	(1) YES (8) NOT APPLICABLE (NO DOOR) (9) UNKNOWN	
LOWER	<u>\$</u>	-FRONT -REAR	<u>67</u>
-D-PILLAR, UPPER	$\frac{\mathcal{S}}{\epsilon_1}$	- TIEAN	68
LOWER	8 62	VAN REAR DOOR TYPE  (0) VAN, NO REAR DOOR (1) TRACK (SLIDING) - RIGHT SIDE (2) SINGLE-HINGED - RIGHT SIDE (3) DOUBLE-HINGED - RIGHT SIDE (4) TRACK (SLIDING) - RIGHT & LEFT SIDE (5) SINGLE-HINGED - RIGHT & LEFT SIDE (6) DOUBLE-HINGED - RIGHT & LEFT SIDE (7) TRACK AND HINGED COMBINATION (8) NOT APPLICABLE (NOT A VAN) (9) UNKNOWN	<u>8</u>


		EXTERIOR DAMAGE	ED-5
WINDSHIELD DAMAGE		WINDSHIELD MARK ON CASE VE	HICLE:
WINDSHIELD CRACKED  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	70		
WINDSHIELD BROKEN (PLASTIC INTERLAYER TORN)  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	71	<b>SAFEGUARD</b> DOT-22 GG-M55 T AS1 99  4 L 2	;
CRACKED OR BROKEN BY OCCUPANT CONTACT  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  EXTENT OF BOND SEPARATION  (0) NONE (1) 1 - 20% (2) 21 - 40 (3) 41 - 60 (4) 61 - 80 (5) 81 - 99 (6) TOTAL (7) SEPARATED, AMOUNT UNKNOWN (8) NOT APPLICABLE (9) UNKNOWN	O 72	WINDSHIELD CODE  (97) DESCRIBED BUT NOT CODED (98) NOT APPLICABLE (NO WINDSHIELD) (99) UNKNOWN  ROOF  DID T-ROOF/SUN ROOF OPEN DURING COLLISION?  (0) NO (1) YES (8) NOT APPLICABLE (NOT A T-ROOF OR SUN ROOF) (9) UNKNOWN	9 7 74 75
LOCATE AREA OF WINDSHIELD INT & HORIZONTAL) ON THIS DIAGRAL  Cracked due to upper A-pi	M OF THE	R DAMAGE WITH DIMENSIONS (VERTICAL WINDSHIELD AS VIEWED FROM INSIDE.	
→ · L	<del></del>	- -	н


Duplicate columns 1-8 Module S C Format C from the previous card. 9 10 1		STEERING WHEEL AND COLUMN	SC-1
STEERING WHEEL RIM DAMAGE  (0) NONE (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	<u>O</u>	STEERING WHEEL POSITION AT TIME OF COLLISION  IN WHAT O'CLOCK POSITION WAS THE NORMAL TOP OF THE WHEEL POINTED WHEN THE COLLISION OCCURRED?  EXAMPLES  O'CLOCK = 1 2 O'CLOCK = 2 2	
NUMBER OF STEERING WHEEL SPOKES (9) UNKNOWN	4/	(NORMAL STRAIGHT AHEAD) O'CLOCK = 12	
STEERING WHL SPOKE DAMAGE  (0) NONE - (1) DEFORMED SLIGHTLY (2) SEVERELY BENT (3) BROKEN (9) UNKNOWN	15	STEERING WHEEL ENERGY ABSORBING DEVICE  (1) EXAMPLES:  BARRACUDA, 70 - 74 CHALLENGER, 70 - 74 CAPRI, 71 - 77	
STEERING COLUMN OPTIONS		(2) EXAMPLES: OMNI, 78 - HORIZON, 78 -	
TILT FEATURE  (0) NOT EQUIPPED (1) YES, EQUIPPED, UNK POSITION (2) UP (3) MIDDLE (4) LOWER (9) UNKNOWN IF EQUIPPED	16	TYPE OF DEVICE  (0) NONE (1) CONVOLUTED OR MESH CYLINDER (2) DEEP DISH STEERING WHEEL (7) OTHER: (8) NOT COLLECTED (9) UNKNOWN IF EQUIPPED	8 19
SWING-AWAY FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED  (9) UNKNOWN IF EQUIPPED	<u>O</u>	ORIGINAL DIMENSION (mm)  A:  DAMAGE DIMENSION (mm)  B:  DIFFERENCE (mm)	
TELESCOPING FEATURE  (0) NOT EQUIPPED  (1) YES, EQUIPPED  (9) UNKNOWN IF EQUIPPED	<u>Q</u>	A - B  (888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO MEASURE (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 22

		STEERING WHEEL AND COLUMN SC-2
STEERING COLUMN ENERGY ABSORBING DEVICE		STEERING WHEEL (CONTINUED)
TYPE OF DEVICE * (IF 27 OR 28)		STEERING WHEEL HUB DAMAGE
(00) NOT EQUIPPED (88) NOT COLLECTED (99) UNKNOWN	8 8 24	(0) NONE (1) OCCUPANT CONTACT (2) AIRBAG 33
ORIGINAL LENGTH (mm)		(3) OTHER
C:		
COMPRESSED LENGTH (mm)		
D:		
BRACKET DEFLECTION (IF CODE 36, 48, OR 49 ABOVE)		
COMPRESSION (OR EXTRUSION) (mm)		
C - D (OR E) (TOLERANCE: ±10)		
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT COMPRESSION (992) COMPRESSED, AMOUNT UNKNOWN (993) DEVICE EXTENDED (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 27	
* (ADD A & B FOR TOTAL COMPRESSION)		
SHEAR CAPSULE SEPARATION (mm)		
- S (USE AVG. OF LEFT & RIGHT CAPSULES.)		
RT:		
(888) NOT COLLECTED (991) NOT MEASURED/NO APPARENT SEPARATION (992) SEPARATED, AMOUNT UNKNOWN (997) UNABLE TO BE MEASURED (998) NOT APPLICABLE (NOT EQUIPPED) (999) UNKNOWN	8 8 8 30	- -
COLUMN VERTICAL ROTATION		
(0) NO APPARENT ROTATION (1) UPWARD APPARENT ROTATION (2) DOWNWARD APPARENT ROTATION (9) UNKNOWN	<u>O</u> 31	· •
COLUMN LATERAL ROTATION		-
<ul><li>(0) NO APPARENT ROTATION</li><li>(1) LEFT APPARENT ROTATION</li><li>(2) RIGHT APPARENT ROTATION</li><li>(9) UNKNOWN</li></ul>	<b>⊘</b> 32	


								Inte	RUSIC	on IT-1
Location	n of			Compa	(All Measurements Are in Centimeters)					
Location Intrusio	n	Intrude	d Component	Compai Valu	ie 	Intruded Value	=	Intrusion		Crush Direction
						_	=			
							=			
						_	=			
<del></del>							=			
					•		=			
						_	=			
					•		=			
					•	_	=			
					-	_	=			
					-		=			
					_	_	=			
						_	=			
					<del>-</del>	_	=			
						_	=			
						-	=			
					-	_	=			
	T		0	CCUPANT C	ONTAC	T WORKSHEE	ET			
_Contact	Co	Interior Imponent Intacted	Occupant No. if Known	Body Region if Known	_	Supporting P	hysical	Evidence		Confidence Level of Contact Point
Α								· · · · · · · · · · · · · · · · · · ·		
В										
С								<del>-</del>		
D								<del></del>		
E										
F										
G									•	
李 <sub>十</sub> 。						_				
ı										
J										







No occupant contact marks found



# INTRUSION IT-3

# CODES FOR COLUMN B, OCCUPANT SPACE NUMBER

OCCUPANT SPACE NUMBER IS A TWO-DIGIT CODE. THE USE OF THE CODE IS DETERMINED BY THE VEHICLE SEAT CONFIGURATION AT THE TIME OF THE ACCIDENT.

#### **FIRST DIGIT**

THE FIRST DIGIT (LEFT DIGIT) DENOTES THE SEAT ROW, WITH CODE VALUES FROM 1 TO 5.

#### SECOND DIGIT

THE SECOND DIGIT (RIGHT DIGIT) DENOTES THE POSITION ON THE SEAT AND, IN SOME INSTANCES, THE WIDTH OF THE SEAT.

(1)	LEFT	(3) RIGHT	•••••		INDIVIDUAL SEAT
(1)	LEFT	(2) CENTER	(3)	RIGHT	BENCH: FULL WIDTH 3 PASSENGER
(1)	LEFT	(2) LEFT CENTER	(6)	RIGHT (3) RIGHTCENTER	BENCH: FULL WIDTH 4 PASSENGER
(1)	LEFT	(2) CENTER	(5)	RIGHT &AISLE SPACE	BENCH: PARTIAL WIDTH, LEFT
	LEFT & SPACE	(2) CENTER	(5)	RIGHT &SPACE	BENCH: PARTIAL WIDTH, CENTERED
(4)	ENTIRE \	EHICLE WIDTH		•••••	CARGO AREA

## **EXAMPLES**

THE TWO FIGURES BELOW PROVIDE EXAMPLES OF THE OCCUPANT SPACE NUMBER.

#### PASSENGER CAR 5 PASSENGERS

#### VAN 12 PASSENGER CAPACITY

X			X	11			13	
x	X	X				21	22	25
X	X	X				31	<i>32</i>	<i>3</i> 5
x	X	x	X	41	42	46	43	

# CODES FOR COLUMN F, MEASUREMENT AXIS

- (X) X-AXIS (FORE & AFT)
- (Y) Y-AXIS (LATERAL)
- (Z) Z-AXIS (VERTICAL)

# CODES FOR COLUMNS G, H, I & J, OCCUPANT & INJURY NUMBERS

		OCCUPANT NUMBER	INJURY NUMBER	CONTACT
<b>ૐ</b> _	<b>&gt;</b>	(00)	(00)	NO CONFACT
		(##)	(00)	CONTACT, NO INJURY
		(97)	(99)	CONTACT, OCCUPANT UNKNOWN, INJURY UNKNOWN
		(99)	(00) OR (99)	UNKNOWN IF CONTACT

# INTRUSION IT-4

# CODES FOR COLUMN C, INTRUDING COMPONENT OR OBJECT

NOTE: DO NOT CODE OBJECTS OTHER THAN COMPONENTS OF CASE VEHICLE.

# INDIVIDUAL COMPONENT

#### **INTERNAL**

- (01) INSTRUMENT PANEL
- (02) FIRE WALL
- (03) TOE PAN
- (04) FLOOR PAN
- (05) STEERING COLUMN
- (06) WINDSHIELD
- (07) WINDSHIELD HEADER
- (08) A-PILLAR
- (09) DOOR PANEL OR SIDE PANEL
- (10) WINDOW FRAME
- (11) B-PILLAR
- (12) C-PILLAR
- (13) D-PILLAR
- (14) ROOF SIDE RAILS
- (15) ROOF OR CONVERTIBLE TOP
- (16) BACKLIGHT HEADER
- (17) FRONT SEAT-BACK SURFACE/ SEAT-BACK BACK SURFACE
- (18) SECOND SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (19) THIRD SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (20) FOURTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (21) FIFTH SEAT-BACK SURFACE SEAT-BACK BACK SURFACE
- (22) BACK PANEL/BACK DOOR SURFACE
- (23) SEAT CUSHION SURFACE/EDGE
- (24) CONSOLE
- (25) OTHER (DESCRIBE)
- (26) UNKNOWN INTERNAL SURFACES
- (28) TRANSMISSION TUNNEL (HUMP)
- (29) SIDE FOOTWELL PANEL (KICKPANEL)
- (30) SILL

#### **EXTERNAL**

- (43) HOOD
- (44) OBJECT EXTERNAL TO PASSENGER COMPARTMENT BUT PART OF CASE VEHICLE
- (45) OUTSIDE SURFACE OF CASE VEHICLE
- (46) OTHER (E.G. SPARE TIRE, JACK. DESCRIBE.)
- (49) UNKNOWN EXTERNAL OBJECT

# GROUPED FOR MASSIVE INTRUSION INTO AN OCCUPANT SPACE

USE ONLY IF <u>ALL</u> THESE COMPONENTS INTRUDED INTO A SINGLE OCCUPANT SPACE.

- (50)WINDSHIELD HEADER A-PILLAR
- ROOF SIDE RAIL
- (51)INSTRUMENT PANEL A-PILLAR DOOR PANEL
- (52)INSTRUMENT PANEL
  - A-PILLAR
    WINDSHIELD HEADER
- (53)DOOR PANEL B-PILLAR ROOF RAIL
- (54)DOOR PANEL A-PILLAR ROOF RAIL
- (55)INSTRUMENT PANEL FLOOR PAN
  - A-PILLAR DOOR FRAME
- (56)ROOF RAIL A-PILLAR
  - B-PILLAR WINDOW FRAME
- (57)ROOF RAIL A-PILLAR B-PILLAR
  - C-PILLAR DOOR PANEL
- (58)ROOF ROOF RAIL WINDOW FRAME DOOR PANEL
- (59)BACKLIGHT HEADER ROOF
  - C-PILLAR
    THIRD SEAT-BACK

- (60)ROOF ROOF RAIL A-PILLAR B-PILLAR
  - C-PILLAR
    WINDOW FRAME
    DOOR PANEL
    FLOOR PAN
- (61)INSTRUMENT PANEL
  - TOE PAN WINDSHIELD HEADER
  - A-PILLAR ROOF RAIL WINDOW FRAME
  - DOOR PANEL ROOF
- (62)ROOF ROOF RAIL
  - C-PILLAR WINDOW FRAME FLOOR PAN
  - SECOND SEAT DOOR PANEL
- (63)ROOF RAIL
  - B-PILLAR WINDOW FRAME
  - WINDOW FRAME FLOOR PAN
  - DOOR PANEL
  - SECOND SEAT
  - FRONT SEAT
- (64)ROOF RAIL ROOF OR CONVERTIBLE TOP A-PILLAR
  - B-PILLAR WINDOW FRAME WINDOW HEADER
- (65)WINDSHIELD WINDSHIELD HEADER ROOF SIDE RAIL
- (66)WINDSHIELD WINDSHIELD HEADER A-PILLAR
- (98)NOT APPLICABLE
- (99)UNKNOWN

3

Duplicate columns 1-8 Module <u>I</u> from the previous card.	T Format 0 1 12	Int	RUSION IT-5
WAS THERE OCCUPANT COMP  (0) NO <u>DO NOT</u> ANSWER NEXT  (1) YES <u>ANSWER</u> NEXT QUESTIC  (9) UNKNOWN <u>SKIP PAGE</u> .	QUESTION. <u>SKIP PAGE</u> .	WAS INTRUSION CATAS  (0) NO <u>COMPLETE</u> P.  (1) YES <u>SKIP</u> PAGE.	14
		nns 1 - 12 for each completed	line.
CODES FO	RUSIONS IN THIS ORDER: LEFT TO RIGH OR B, F, G, H, I, J ON PAGE IT-3 OR C ON PAGE IT-4	T ON ROW; FRONT TO BAC	
A B C INTRUDING A INTRUSION OCC. COMPONENT E NUMBER SPACE NO. OR OBJECT	D E F G SSOC. MAXIMUM MAXIMUM MAXIMUM EVENT INTRUSION INTRUSION INTRUSION NO. X AXIS (cm) Y AXIS (cm) Z AXIS (cm)	į	J K OCCUPANT INJURY NUMBER NUMBER
13-14 15-16 17-18	19 20-21 22-23 24-25	26-27 28-29	30-31 32-33
0 1			
0 2			
0 3			
0 4			
0 5			
0 6			
0 7	N 7 INTRUSIONS.		
Duplicate columns 1-8 Module I from the previous card.			
NOTE: IF NO SIDE DOOR INTRUSION, SKIP REMAINDER OF PAGE.	IF DAMAGE TO DOOR O DOOR INTRUSION, COI	COMPONENT RESULTI	ED IN INCREASED
SIDE DOOR INTRUSION RESULTED FROM	INTRUSION DAMAGED NUMBER COMPONENT	DAMAGED 1 COMPONENT 2	CODES FOR COMPONENTS
NUMBER CAUSE CODES FOR CAUSE:	A	25	(0) NONE (1) A-PILLAR (2) B-PILLAR
13 15 (1) DIRECT IMPACT	B	29	(3) C-PILLAR (4) LATCH/STRIKER (5) HINGES
16 18 (2) INDUCED DAMAGE	C	33	(7) OTHER:
= 2: (a) CIAVIACAMA	D	37	(8) NOT APPLICABLE (9) UNKNOWN

Duplicate columns 1-8 from the previous card.

INTRUSION IT-6

NOTE: Each line in the table below is a separate record (card).

Duplicate columns 1 - 12 for each completed line.

- ADDITIONAL PAGE --

INTRUSIONS CODE INTRUSIONS IN THIS ORDER: LEFT TO RIGHT ON ROW; FRONT TO BACK IN VEHICLES.

CODES FOR B, F, G, H, I, J ON PAGE IT-3

CODES FOR C ON PAGE IT-4

OCCUPANT CONTACT AND INJURY

		OODLO						II OOMIAOT		
A INTRUSION NUMBER	B OCC. SPACE NO.	C INTRUDING COMPONENT OR OBJECT		INTRUSION	F MAXIMUM INTRUSION Y AXIS (cm)	G MAXIMUM INTRUSION Z AXIS (cm)	H OCCUPANT NUMBER	INJURY NUMBER	J OCCUPANT NUMBER	K INJURY NUMBER
13-14	15-16	17-18	19	20-21	22-23	24-25	26-27	28-29	30-31	32-33
0 8										
0 9										
1 0								<del></del>		
11										
1 2			_							
1 3										
1 4										
1 5										
<u>1</u> 6										
17										
1 8					<del></del>					
<u>1</u> 9			_	<del></del>						
2 0										
2 1										
22										
2 3			_							
24										


Duplicate columns 1-8 from the previous card.	Modu	le <u>I</u> <u>D</u>	Format 0 1 12	ln	TERIOR DAMAGE	ID-1
COL	(1	)) NO I) YES B) NO, and	I OCCUPANT CONTACT	(4) YES, and C (8) NOT APPL (9) UNKNOWN	OCCUPANT CONTACT ICABLE	
SIDES FRONT DOOR FRONT HARDWARE FRONT ARMREST FRONT GLASS REAR DOOR AREA REAR HARDWARE REAR ARMREST REAR GLASS ROOF SIDE RAIL B-PILLAR C-PILLAR D-PILLAR HEADLINING ROOF STRUCTURE T-ROOF/SUN ROOF	LEFT D   13 D   15 D   17 D   19 D   21 D   23 D   25 D   27 D   29 D   31 D   33 K   35 D   37 D   39 K	RIGHT    14   0   16   0   18   0   20   0   22   0   24   0   26   0   28   0   30   0   34   0   36   0   38	FRONT FOOT CONTROLS  IGNITION KEYS  REAR VIEW MIRROR  SUNVISOR/FITTINGS  (5) LEFT SIDE ONLY (6) RIGHT SIDE ONLY (7) BOTH SIDES  WINDSHIELD TOP MOLDINGS  LEFT A-PILLAR (UPPER OR LOWER)  RIGHT A-PILLAR (UPPER OR LOWER)  CENTER CONSOLE  TRANSMISSION SELECTOR LEVER  RIM, HORN, SPOKE	0 45 0 46 0 47 0 48 0 49 0 50 0 51 0 52 0 53 0 54	INSTRUMENT PANE UPPER PANEL  MID PANEL  LOWER PANEL  ASHTRAY  CONTROL KNOBS & LEVERS  GLOVE COMPARTMENT AREA  INSTRUMENTS  PARKING BRAKE RELEAS  PARKING BRAKE PEDAL  A/C OR UPPER VENT OUT  HEATER OR A/C DUCTS  RADIO  OTHER: *	55 0   56 0   57 0   58 0   60 0   61 0   62 0   63 0
OTHER: *	41	42 8 44			REAR WINDOW WINDOW HEADER  CONSOLES VERTICAL ROOF	68 0 69


Duplicate columns 1-8 from the previous card.  Module S T 9 10	Format 0		SEATS	3	ST-1
FRONT SEAT  TYPE OF FRONT SEAT  (00) NO SEAT  (01) STANDARD BENCH  (02) SPLIT BACK, 50-50  (03) SPLIT BACK, DRIVER WIDE  (04) SPLIT BACK, PASS. WIDE  (05) BUCKET  (06) CAPTAIN'S CHAIR  (07) INDIV. BENCH, 50-50  (08) INDIV. BENCH, DRIVER WIDE	DRIVER	PASSENTR  0 5 15 16	FRONT SEAT-BACK  SEAT-BACK TYPE  (1) FORWARD FOLDING (2) RIGID (3) RECLINING (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	DRIVER  1 30	PASSENT 31
(09) INDIV. BENCH, PASS. WIDE (97) OTHER: (99) UNKNOWN  TYPE OF SEAT MOUNT (1) STANDARD (2) PEDESTAL (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	17	18	SEAT-BACK LOCK TYPE  (0) NONE (1) MANUAL (2) INERTIA (3) POWER (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	32	33
SWIVEL MECHANISM EQUIPPED  - (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	19	20	LOCKS HELD  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	34	35
ORIGINAL EQUIPMENT SEATS (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN  CONTACT OF SEAT BY REAR OCCUPANT (0) NO (1) YES -(8) NOT APPLICABLE	<u>/</u> 21	<u>/</u> 22	RECLINER MECHANISM HELD (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	36	<u></u>
(9) UNKNOWN  FRONT SEAT DAMAGE  (0) NONE (1) BACKREST ONLY DAMAGED (2) CUSHION ONLY DAMAGED (3) BACKREST & CUSHION DAMAGED (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 25	<b>⊘</b> 26	HEAD RESTRAINT  HEAD RESTRAINT TYPE  (0) NONE  (1) ADJUSTABLE  (2) INTEGRAL  (3) NOT INTEGRAL, BUT  CANNOT BE REMOVED  (7) OTHER:  (8) NOT APPLICABLE	<b>2</b> .	39
CENTER ARMREST DAMAGED  (0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE (NO CENTER ARMREST) (9) UNKNOWN IF EQUIPPED	1 2	<b>O</b> 7	(9) UNKNOWN  REMOVED PRE-CRASH (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN	<u>8</u>	<u>8</u>
FRONT SEAT ROTATION  (0) NONE APPARENT (1) FORWARD APPARENT (2) REARWARD APPARENT (3) LEFT APPARENT (4) PRIGHT APPARENT (5) MULTIPLE ROTATIONS SPECIFY (8) NOT APPLICABLE (9) UNKNOWN	<u>Ø</u>	<u>Ø</u>	ADJUSTMENT AT CRASH (1) UP (2) DOWN (8) NOT APPLICABLE (9) UNKNOWN  HEAD RESTRAINT DAMAGE (0) NONE (1) DAMAGED BUT NOT SEPARATED (2) SEPARATED (8) NOT APPLICABLE (9) UNKNOWN	2 42	<u>لا</u> 43

-			Se	ATS S	ST-2
FRONT SEAT ADJUSTMENT	DRIVER	Passen'R	SECOND SEAT (CONT.)		
SEAT ADJUSTMENT TYPE  (0) NONE (RIGID) (1) MANUAL (2) POWER (7) OTHER: (8) NOT APPLICABLE (NO SEAT) (9) UNKNOWN	46	47	(0) NO (1) YES (7) EQUIPPED, DAMAGE UNKNOWN (8) NOT APPLICABLE	-4	ę
ADJUSTMENT PROVIDED  (1) 2-WAY (2) 4-WAY (3) 6-WAY (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	48	49	(9) UNKNOWN IF EQUIPPED  SECOND SEAT-BACK  LOCKS	LEFT	Rіgнт
SEAT ADJUSTER DAMAGE  (0) NONE (1) CHUCKING (FREE PLAY) (2) DEFORMED (RELEASED/JAMMED) (3) SEPARATED (7) OTHER: (8) NOT APPLICABLE (9) UNKNOWN	50	51	FOR THE FOLLOWING, USE:  (0) NO (1) YES (8) NOT APPLICABLE (9) UNKNOWN		
SEAT ADJUSTER SEPARATION (0) NONE (1) SEPARATED AT FLOOR (2) SEPARATION OF ADJUSTER (3) SEPARATED AT SEAT (8) NOT APPLICABLE (9) UNKNOWN	<b>8</b> 52	<b>8</b> 53	LEFT OR CENTER, EQUIPPED  LEFT OR CENTER, HELD  (3) SEAT FOLDED DOWN  RIGHT, EQUIPPED	63 0 65 <b>b</b>	1 2 8 4 0 8 8
PRE-CRASH POSITION  (1) FORWARD (2) MIDDLE (3) REARWARD (8) NOT APPLICABLE (9) UNKNOWN		<b>2</b> 55	RIGHT, HELD  (3) SEAT FOLDED DOWN  THIRD SEAT	67	<b>&amp;</b> 68
SECOND SEAT TYPE OF SECOND SEAT	LEFT	Rіgнт	EQUIPPED  BACKREST DAMAGED	0 8	<u>0</u>
(0) NONE (1) NON-FOLDING (2) FOLDING (3) CAPTAIN'S CHAIR (4) JUMP SEAT (5) INTEGRAL CHILD SEAT	56	57	CUSHION DAMAGED	71 8 73	70 72 8
(6) LUGGAGE AREA ACCESS PANEL (9) UNKNOWN  SECOND SEAT DAMAGE (0) NONE (1) BACKREST ONLY (DAMAGED OR LOOSENED) (2) CUSHION ONLY (DAMAGED OR LOOSENED) (3) BACKREST & CUSHION (DAMAGED OR LOOSENED) (4) INTEGRAL CHILD SEAT (PRIORITY CODE) (5) LUGGAGE AREA ACCESS PANEL (DAMAGED OR LOOSENED) (8) NOT APPLICABLE (9) UNKNOWN	<u>O</u> 58	59	VEHICLE EQUIPPED WITH REAR HEAD RESTRAINTS  (0) NOT EQUIPPED (OR REMOVED) (1) EQUIPPED (2) EQUIPPED & DAMAGED (8) NOT APPLICABLE (NO REAR SEAT) (9) UNKNOWN  Applies to any rear-seat position	-	<b>2</b>


Duplicate columns 1-8 Module A B Format 0 from the previous card.	12	AIRBAG /	AB-1
DRIVER SIDE  LOCATION OF AIRBAG  STEERING WHEEL  EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	13	PASSENGER SIDE LOCATION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)  EQUIPPED  (0) NO (1) YES (4) PRIOR DEPLOYMENT NOT REINSTALLED (9) UNKNOWN IF AIRBAG EQUIPPED	16
DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	14	DEPLOYED  (0) NO (1) YES (2) PARTIAL/IMPROPER DEPLOYMENT (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	17
CONDITION OF AIRBAG STEERING WHEEL  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDINOT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	<u>O</u> 15	CONDITION OF AIRBAG INSTRUMENT PANEL (GLOVE BOX)  (0) NO DAMAGE (2) SPLIT OR TORN (3) CUT DURING CRASH (4) BURNED/MELTED (5) CUT POST CRASH (6) OTHER (7) DAMAGED, CONDITION UNKNOWN (8) NOT APPLICABLE (NOT EQUIPPEDINGT DEPLOYED) (9) UNKNOWN IF EQUIPPED OR CONDITION	18
DRIVER SIDE  AIRBAG STEERING WHEEL  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED  MARKED BY CONTACT	19	PASSENGER SIDE  AIRBAG INSTRUMENT PANEL (GLOVE BOX)  TETHER  (0) NO (1) YES (6) OTHER (7) UNKNOWN IF TETHERED (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN IF AIRBAG EQUIPPED	<u>O</u> 21
(0) NO  (1) YES (8) NOT APPLICABLE (NO AIRBAG) (9) UNKNOWN	20	— (0) NO (1) YĒS (8) NOT APPLICABLE (NO AIRBĀG) (9) UNKNOWN	<u>D</u>

AIRBAG NUMBER ON DRIVER SIDE:






**Driver Airbag** 



Vents: Y (N)
if yes, how many: \_\_\_\_\_

Tethers: Y N
if yes, how many: 2

AIRBAG NUMBER ON PASSENGER SIDE:



## **NOTE TO THE INVESTIGATOR:**

THE FOLLOWING TWO SECTIONS,

OCCUPANT INFORMATION AND INJURY CLASSIFICATION,

ARE TO BE FILLED IN

FOR EACH CASE VEHICLE OCCUPANT,

WHETHER INJURED OR NOT.

IF THERE IS MORE THAN ONE OCCUPANT,
USE ADDITIONAL COPIES
OF PAGES OC-1, OC-2, OC-3,
AND IC-2 TO DESCRIBE THEM
AND ATTACH THE COPIES TO THIS REPORT.


Duplicate columns 1-8 Module O C Format 0 9 10 11		OCCUPANT INFORMATION (	OC-1
OCCUPANT IDENTIFICATION OCCUPANT NUMBER  ROLE OF OCCUPANT AT 1ST IMPACT  (1) MOTOR VEHICLE DRIVER (2) MOTOR VEHICLE PASSENGER (NOT DRIVER) (9) UNKNOWN	<u>Q</u> <u>1</u> 13 14 <u>1</u> 15	PHYSICAL DESCRIPTION  AGE IN YEARS  (00) LESS THAN 1 YEAR  (98) 98 YEARS OR OLDER  (99) UNKNOWN  AGE IN MONTHS  (00) LESS THAN 1 MONTH  (25) 25 MONTHS OR OLDER  (99) UNKNOWN	$\frac{7}{20}\frac{7}{21}$ $\frac{2}{22}\frac{5}{23}$
OCCUPANT POSITION  ROW LOCATION  (1) FRONT (2) SECOND (3) THIRD (4) FOURTH	16	MASS (kg)  (999) UNKNOWN  (98 16)  HEIGHT (cm)  (999) UNKNOWN  (5 H, 5 N)  SEX  (1) MALE  (2) FEMALE  (9) UNKNOWN	$ \begin{array}{c cccc} O & 4 & 9 \\ \hline 24 & 25 & 26 \\ \hline 27 & 28 & 29 \\ \hline 27 & 30 \end{array} $
LATERAL LOCATION  (1) LEFT (2) LEFT CENTER (3) CENTER (4) RIGHT CENTER (5) RIGHT (6) ALL (LYING ON SEAT) (8) EXTERNAL TO PASSENGER COMPARTMENT (9) UNKNOWN	17	MEDICAL CONDITIONS  TREATMENT/MORTALITY  (00) NONE  (01) FIRST AID AT SCENE  (02) TREATED AT HOSPITAL/CLINIC  BUT NOT ADMITTED  (03) HOSPITALIZED FOR OBSERVATION  LESS THAN 24 HOURS  (04) HOSPITALIZED OVER 24 HOURS  OR FOR SIGNIFICANT TREATMENT  (05) FATAL, DEAD AT SCENE  (06) FATAL, DOA	<u>0</u> 2/31 32
POSTURE  (10) SITTING ON SEAT  (11) SITTING ON SEAT IN ABNORMAL POSITION (E.G. FEET ON DASH, SIDEWAYS)  (12) SITTING ON CONSOLE  (20) ON LAP OR IN ARMS  (30) STANDING ON SEAT  (40) STANDING ON FLOOR  (47) STANDING, EXTERNAL TO PASSENGER COMPARTMENT  (50) IN BASSINET	<u>/</u> <u>0</u> 19	(07) FATAL, DEAD WITHIN 24 HOURS (08) FATAL, DEAD 24 HOURS TO 31 DAYS LATER (09) FATAL, DEAD 31 DAYS TO 1 YEAR LATER (10) FATAL DEAD WITHIN UNKNOWN PERIOD (99) UNKNOWN  INJURY SEVERITY SCORE (ISS) (99) UNKNOWN	<u>6</u> 1
(80) IN BASSINET (60) IN CHILD SEAT (65) IN CHILD HARNESS (70) LYING ON SEAT (80) LYING/SITTING ON PASSENGER FLOOR (83) LYING/SITTING ON OTHER OBJECT IN PASSENGER COMPARTMENT: (85) ON CARGO FLOOR/FOLDED SEAT-BACK (87) LYING/SITTING, EXTERNAL TO PASSENGER COMPARTMENT (99) UNKNOWN		NON-IMPACT MED. CONDITIONS  (0) NONE (1) YES, TIME & TYPE UNKNOWN (2) PRE-CRASH FATAL (CLINICAL DEATH AT WHEEL) (3) PRE-CRASH NON-FATAL (E.G. PRIOR INJURY, STROKE) (4) PREGNANT (5) POST-CRASH FATAL (DROWNING) (6) POST-CRASH NON-FATAL INJURY (7) OTHER: Chronic Bronchitis & (CIRCLE EACH) (9) UNKNOWN	<del>Z</del> 35

		Occupant Information (	DC-2
MEDICAL CONDITIONS (CONT.)  POLICE INJURY SEVERITY CODE FOR THIS OCCUPANT  (0) O - NO INJURY (1) C - POSSIBLE INJURY (2) B - NON-INCAPACITATING (3) A - INCAPACITATING INJURY (4) K - FATAL (5) INJURED, SEVERITY UNKNOWN (6) DIED PRIOR TO IMPACT (7) NON-FATAL INJURY, SEVERITY UNKNOWN (9) UNKNOWN	<u>Z</u>	CHILD SEAT TYPE  (00) NONE USED (01) YES, USED (02) INTEGRAL, Chrysler Mini-van (88) NOT APPLICABLE (ADULT OR OLDER CHILD) (99) UNKNOWN  CHILD SEAT MAKE/MODEL	8 8 42
RESTRAINT SYSTEM  (0) NONE (1) LAP BELT (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (9) UNKNOWN  ACTIVE RESTRAINT SYSTEM USAGE  (0) NONE (AVAILABLE BUT NOT USED) (1) LAP BELT ONLY (2) SHOULDER HARNESS ONLY (3) BOTH LAP BELT & SHOULDER HARNESS (7) IMPROPER USAGE (8) NOT APPLICABLE (NONE AVAILABLE) (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM  (0) NONE (1) AIRBAG INSTALLED (2) PASSIVE UPPER TORSO WITH KNEE BOLSTERS (3) PASSIVE UPPER TORSO WITHOUT KNEE BOLSTERS (4) PASSIVE LAP & UPPER TORSO (5) AIRBAG INSTALLED & PASSIVE RESTRAINT (7) OTHER: (9) UNKNOWN  PASSIVE RESTRAINT SYSTEM USAGE  (0) SYSTEM DEFEATED (1) AIRBAG NOT DEPLOYED (2) AIRBAG DEPLOYED (2) AIRBAG DEPLOYED (3) AIRBAG DEPLOYED	3 3 38 38	EJECTION  (0) NONE (1) PARTIAL (2) COMPLETE (7) EJECTED, DEGREE UNKNOWN (9) UNKNOWN IF EJECTED  AREA OF EJECTION  (01) WINDOW, LEFT SIDE (02) WINDOW, RIGHT SIDE (03) WINDOW, RIGHT SIDE (04) DOOR, LEFT SIDE (05) DOOR, RIGHT SIDE (06) DOOR, REAR OR TAILGATE (07) WINDSHIELD (08) ROOF OR OPEN CONVERTIBLE OR FROM EXTERNAL AREA (96) EJECTED AREA UNKNOWN (97) OTHER AREA: (98) NOT APPLICABLE (NOT EJECTED) (99) UNKNOWN IF EJECTED	9 8 44 45
(3) AIRBAG NOT REINSTALLED (4) PASSIVE UPPER TORSO USED (5) PASSIVE LAP & UPPER TORSO USED (6) SYSTEM USED IN MANUAL MODE (7) IMPROPER USAGE  (8) NOT APPLICABLE (NOT ORIGINALLY EQUIPPED) (9) UNKNOWN	40	HEAD RESTRAINT  HEAD RESTRAINT AVAILABLE FOR THIS POSITION  (0) NOT EQUIPPED OR REMOVED (1) EQUIPPED (9) UNKNOWN	<u>J</u>

-		OCCUPANT INFORMATION	OC-3
OCCUPANT EYEWEAR  (0) NONE (1) GLASSES (2) CONTACTS (3) BOTH GLASSES AND CONTACTS (4) OTHER (B) NOT APPLICABLE (9) UNKNOWN	<b>9</b> 47	SOURCE OF INFORMATION  (0) INTERVIEW (1) HOSPITAL (2) AUTOPSY (3) POLICE (4) OTHER (5) LAY CORONER/EXTERNAL EXAM (7) COMBINATION OF ABOVE (CIRCLE) (8) NOT APPLICABLE (9) UNKNOWN	<u>l</u> 48

# OCCUPANT INFORMATION OC-4

# INDICATE LOCATION OF INJURIES.



Duplicate columns 1-8 from the previous card.

Module <u>I</u> <u>C</u> Format <u>0</u> <u>1</u> 12

INJURY CLASSIFICATION IC-1

NOTE: Each line in the table below is a separate record (card). Duplicate columns 1 - 12 for each completed line.

# OCCUPANT INJURY CLASSIFICATION


			PRIMARY OIC				ASSOCIATED OIC					CC	MMENTS			
OCCUPANT NUMBER	INJURY NUMBER	PROBAE START V IN 1ST C	BILITY (HOR WITH MOST CONTACT A	IN ORDER OF IZONTALLY) . PROBABLE REA COLUMN. BLE CONTACT	BODY REGION 1	ASPECT 2	LESION 3	SYSTEM/ORGAN 4	SEVERITY 45	BODY REGION 1	ASPECT Q	LESION 3	SYSTEM/ORGAN 4	SEVERITY 15		
13-14	15-16	17-18	19-20	COMMENTS	21	22	23	24	25	26	27	28	29	30		
01	01	20	34		<u>८</u>	L	<u></u>	I	1	_	_	_				
$\uparrow$	<u>02</u>	20	87		E	<u></u>	A	I	1							
	03	20	34		2	<u>L</u>	<u>c</u>	<u>I</u>	1		_	_				
									_			_		_		
										_						
					-					_	_			-		
						_							_	-		
line.					_	_	_	_		_	_			-		
ite "Occupant Number" for each line.					_			_	_					-		
Number"					-		_		_		_	_	_	-		
ccupant					-			_		_	_	_	_	_		
Duplicate 'O					-		<u>-</u>	_					_	-		
Duf					_				-		_		_	-		
					_					_	_			-		
											_	_	_			
					_				-	_		_	_	-		
主					_	_				_		_		-	•	
-	_=							_	-	_		_		-1		

# INJURY CLASSIFICATION IC-2

# CODES FOR AREAS OF POSSIBLE OCCUPANT CONTACT

F	RONT (	OF PASSENGER COMPARTMENT	SIDES	
1	(10)	SUNVISOR, FITTING(S) &/OR TOP MOLDING	(20)	SURFACE OF SIDE INTERIOR
1	(12)	WINDSHIELD	(19)	HARDWARE ON SIDE OR DOOR
	,		(13)	ARMREST ON SIDE OR DOOR
1	(05)	INSTRUMENT PANEL (SPECIFIC AREA UNKNOWN)	(24)	
1	(54)	UPPER INSTRUMENT PANEL (X)	(=4)	CONTROCK
1		• •	(20)	MINIDOM CLASS (CIDE)
1	(55)	MIDDLE INSTRUMENT PANEL (Y)	(22)	WINDOW GLASS (SIDE)
	(56)	LOWER INSTRUMENT PANEL (Z)	(21)	WINDOW FRAMES (SIDE)
1	(81)	ASH TRAY (INSTRUMENT PANEL)		
	(02)	GLOVE COMPARTMENT AREA	(26)	ROOF SIDE RAIL
	(47)	AIRBAG (ACRS) COMPARTMENT DOOR/COVER	(14)	A-PILLAR
			(15)	B-PILLAR
	(57)	BENEATH INSTRUMENT PANEL	(16)	C-PILLAR
ł	(53)	PARCEL TRAY		D-PILLAR
	(48)	KNEE RESTRAINT	(,,,	
		VERTICAL CONSOLE	FLOOR	
	(86)	VENTICAL CONSOLL		FLOOD
1			(40)	
i	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(27)	
1			(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE
	(09)	STEERING ASSEMBLY (SPECIFIC AREA UNKNOWN)	<b>(85</b> )	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE
	(65)	STEERING WHEEL	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)
	(66)	STEERING WHEEL COLUMN	(91)	KICKPANEL
1	(59)	TRANSMISSION LEVER ON COLUMN	` '	
1	(00)		Roof	
1	(03)	HARDWARE ITEM (SPECIFIC AREA UNKNOWN)	(25)	ROOF OR CONVERTIBLE TOP
1				SUNVISOR, FITTING(S) &/OR TOP MOLDING
l	(82)	INSTRUMENT(S)	(10)	• • •
	(83)	CONTROL KNOB(S) & LEVER(S) (FRONT)	(26)	ROOF SIDE RAIL
1	(84)	PARKING BRAKE HANDLE IN FRONT	(24)	COAT HOOK
İ	(67)	IGNITION KEY	(18)	DOME LIGHT
ł	(06)	MIRROR	(39)	BACKLIGHT HEADER
1	(04)	HEATER OR AIR CONDITIONING DUCTS	(68)	ROOF MOUNTED CONTROLS/CONSOLE
	(01)	AIR CONDITIONING OR VENTILATION OUTLET(S)	(69)	ROLL BAR
1	(08)	RADIO (BUILT IN)	<b>\/</b>	
l	(58)	ADD-ON TAPE DECK, RADIO, A/C	EXTERIO	OR SURFACE OF CASE VEHICLE
l	(68)	ROOF MOUNTED CONTROLS/CONSOLES	(37)	OUTSIDE SURFACE OF CASE VEHICLE
١ _				(SPECIFIC AREA UNKNOWN)
K	EAR		(35)	HOOD OF CASE VEHICLE
	(88)	SURFACE OF REAR INTERIOR	(60)	EXTERIOR OF CASE VEHICLE (E.G.
	(23)	REAR WINDOW		OUTSIDE MIRRORS, ANTENNA, TRIM)
	(39)	REAR WINDOW HEADER	(62)	EXTERIOR SIDE ROOF RAIL OF CASE VEHICLE
	(50)		(63)	TRUNK LID OF CASE VEHICLE
	(55)		(64)	TIRES OF CASE VEHICLE
in	TEDIO	R-GENERAL	(5.)	THE OF OTHER PERIODS
"		TRANSMISSION SELECTION LEVER (LOCATION UNK.)	REVOND	CASE VEHICLE BOUNDARY
j				
	(59)	TRANSMISSION LEVER ON STEERING COLUMN	(36)	AREA EXTERIOR TO CAR (SPECIFIC AREA UNK.)
	(44)	TRANSMISSION LEVER ON FLOOR OR CONSOLE	(70)	HOOD OF OTHER VEHICLE
	(07)	PARKING BRAKE HANDLE (LOCATION UNKNOWN)	(71)	OTHER VEHICLE EXTERIOR HARDWARE (E.G.
	(84)	PARKING BRAKE HANDLE IN FRONT		OUTSIDE MIRRORS, ANTENNA, TRIM)
	(85)	PARKING BRAKE HANDLE ON FLOOR OR CONSOLE	(73)	EXTERIOR SIDE ROOF RAIL OF OTHER VEHICLE
1	(28)	FOOT CONTROLS (INCL. PARKING BRAKE PEDAL)	(74)	HEADLIGHT OR FRONT GRILL OF OTHER VEH.
1	\ <b>,</b>	· · · · · · · · · · · · · · · · · · ·	(75)	TRUNK OF OTHER VEHICLE
1	(20)	FRONT SEAT-BACK(S)	(76)	OUTSIDE SURFACE OF OTHER VEHICLE
	(29)		i	
1	(51)		(77)	TIRES OF OTHER VEHICLE
ļ	(50)		(78)	GROUND
	(49)	ARMREST ON SEAT	(79)	WATER -
İ	(89)	UNDER SEAT BOTTOM	(80)	EXTERIOR OBJECT (NOT VEHICLE, GROUND,
l				OR WATER. PLEASE DESCRIBE.)
1	(33)	RESTRAINT SYSTEM HARDWARE		
	(34)	RESTRAINT SYSTEM WEBBING	PENETR.	ATING OBJECTS
i	(87)	AIR CUSHION SKIN (AIRBAG)		OTHER VEHICLE
I	(47)		• •	OBJECTS (DESCRIBE)
1	٠,	•	(12)	ODEO 10 (DEOO! IIDE)
1	(46)	AIRBAG GAS	Moore	ANFOLIS
1	(48)		MISCELL	
I	(30)		, ,	NO CONTACT (INVALID FIELD FORM CODE)
نــا	(42)	CHILD SEAT RESTRAINTS	~ (38)	,
3	(43)=	CHILD SEAT	(90)	SPARE TIRE
1	(31)	INTERIOR LOOSE OBJECT	(96)	INDUCED
1	(32)	OTHER OCCUPANT(S)	(97)	EJECTED, UNKNOWN CONTACT
1	(52)	INTERNAL FLYING GLASS (FROM ANY SOURCE)	(98)	IMPACT FORCE, "WHIPLASH",
			(50)	
ļ	(41)	UNKNOWN INTERIOR SURFACE		HYPEREXTENSION/COMPRESSION

# INJURY CLASSIFICATION IC-3



# INJURY CLASSIFICATION IC-4

#### CODES FOR OCCUPANT INJURY CLASSIFICATION (OIC)

# 1 BODY REGION

- (H) HEAD/SKULL
- (F) FACE
- (N) NECK
- (S) SHOULDER
- (X) UPPER EXTREMITIES
- (A) ARM (UPPER)
- (E) ELBOW
- (R) FOREARM
- (W) WRIST/HAND
- (C) CHEST
- (M) ABDOMEN
- (B) BACK
- (P) PELVIC/HIP
- (Y) LOWER EXTREMITIES
- (T) THIGH
- (K) KNEE
- (L) LEG (LOWER)
- (Q) ANKLE/FOOT
- (O) WHOLE BODY
- (U) UNKNOWN

# 3 LESION

- (L) LACERATION
- (C) CONTUSION
- (A) ABRASION
- (F) FRACTURE
- (P) PERFORATION, PUNCTURE
- (K) CONCUSSION
- (V) AVULSION
- (R) RUPTURE
- (S) SPRAIN
- (D) DISLOCATION
- (N) CRUSH
- (M) AMPUTATION
- (B) BURN
- (G) DETACHMENT, SEPARATION
- (Z) FRACTURE AND DISLOCATION
- (T) STRAIN
- (E) TOTAL SEVERANCE, TRANSECTION
- (O) OTHER
- (U) UNKNOWN

# 4 SYSTEM/ORGAN

- (S) SKELETAL
- (V) VERTEBRAE
- (J) JOINTS
- (D) DIGESTIVE
- (L) LIVER
- (N) NERVOUS SYSTEM
- (B) BRAIN
- (C) SPINAL CORD
- (E) EARS
- (O) EYES
- (A) ARTERIES
- (H) HEART
- (Q) SPLEEN
- (G) UROGENITAL
- (K) KIDNEYS
- (R) RESPIRATORY
- (P) PULMONARY/LUNGS
- (M) MUSCLES
- (T) THYROID, OTHER ENDOCRINE GLAND
- (I) INTEGUMENTARY (SKIN)
- (W) ALL SYSTEMS IN REGION
- (U) UNKNOWN

# 2 ASPECT

- (R) RIGHT
- (L) LEFT
- (B) BILATERAL
- (C) CENTRAL
- (A) ANTERIOR/FRONT
- (P) POSTERIOR/BACK
- (S) SUPERIOR/UPPER
- (i) INFERIOR/LOWER
- (W) WHOLE REGION
- (U) UNKNOWN

# SEVERITY 55 SYSTEM/ORGAN 4 LESION 53 ASPECT 04 BODY REGION 1

# 5 SEVERITY (OR \*AIS\*, ABBREVIATED INJURY SCALE)

- (0) NONE
- (1) MINOR
- (2) MODERATE
- (3) SERIOUS
- (4) SEVERE
- (5) CRITICAL
- (6) MAXIMUM
- (9) UNKNOWN



PN 20500 #1
















































































CASE NO. 005-00 CASE VEHICLE TRIO DOOM OCCUPANT, Other 77-year-old female SYATURE, 155 km (5 %, 5 %) NASS, 44 kg-38 Kb PESTANIATE Spoint belt were, sinkey deployed



## PN 20500 #41